
bitmath Documentation

Release 2.0.0

Tim Bielawa

Feb 13, 2023

Contents

1	Installation	3
2	Contents	5
2.1	The <code>bitmath</code> Module	5
2.2	The <code>bitmath</code> command-line Tool	17
2.3	Classes	18
2.4	Instances	22
2.5	Getting Started	28
2.6	Real Life Examples	31
2.7	Contributing to <code>bitmath</code>	39
2.8	Appendices	43
2.9	NEWS	49
2.10	Contact	55
2.11	Copyright	55
2.12	Examples	55
	Python Module Index	61
	Index	63

`bitmath` simplifies many facets of interacting with file sizes in various units. Originally focusing on file size unit conversion, functionality now includes:

- Converting between **SI** and **NIST** prefix units (kB to GiB)
- Converting between units of the same type (SI to SI, or NIST to NIST)
- Automatic human-readable prefix selection (like in `hurry.filesize`)
- Basic arithmetic operations (subtracting 42KiB from 50GiB)
- Rich comparison operations (`1024 Bytes == 1KiB`)
- bitwise operations (`<<`, `>>`, `&`, `|`, `^`)
- Reading a device's storage capacity (Linux/OS X support only)
- String parsing
- Sorting
- `argparse` integration as a custom type

In addition to the conversion and math operations, *bitmath* provides human readable representations of values which are suitable for use in interactive shells as well as larger scripts and applications. The format produced for these representations is customizable via the functionality included in stdlibs `string.format`.

In discussion we will refer to the NIST units primarily. I.e., instead of “megabyte” we will refer to “mebibyte”. The former is $10^3 = 1,000,000$ bytes, whereas the second is $2^{20} = 1,048,576$ bytes. When you see file sizes or transfer rates in your web browser, most of the time what you're really seeing are the base-2 sizes/rates.

Don't Forget! The source for `bitmath` is [available on GitHub](#).

And did we mention there's almost 200 unittests? [Check them out for yourself](#).

- *Examples* after the TOC.

CHAPTER 1

Installation

bitmath is available in Fedora and EPEL repositories, as well as directly available via [PyPI](#). As of 2023 bitmath is only developed, tested, and supported for [currently supported](#) Python releases.

Package Managers

```
$ sudo dnf install python3-bitmath
$ pip install --user bitmath
```

Source:

```
NOTE: UPDATE THIS FOR THE NEW HATCH.TOML THING
```

Or, if you want to install from source:

```
$ sudo python ./setup.py install
```

If you want the `/bin/bitmath` manpage too, then `sudo make install` will install the Python library and the manpage.

2.1 The `bitmath` Module

- *Functions*
 - `bitmath.getsize()`
 - `bitmath.listdir()`
 - `bitmath.parse_string()`
 - `bitmath.parse_string_unsafe()`
 - `bitmath.query_device_capacity()`
- *Context Managers*
 - `bitmath.format()`
- *Module Variables*
- *3rd Party Module Integrations*
 - `argparse`

2.1.1 Functions

This section describes utility functions included in the `bitmath` module.

`bitmath.getsize()`

`bitmath.getsize` (`path``[, bestprefix=True[, system=NIST]]`)

Return a `bitmath` instance representing the size of a file at any given path.

Parameters

- **path** (*string*) – The path of a file to read the size of
- **bestprefix** (*bool*) – **Default:** True, the returned instance will be in the best human-readable prefix unit. If set to False the result is a *Byte* instance.
- **system** (One of *bitmath.NIST* or *bitmath.SI*) – **Default:** *bitmath.NIST*. The preferred system of units for the returned instance.

Internally *bitmath.getsize()* calls *os.path.realpath()* before calling *os.path.getsize()* on any paths.

Here’s an example of where we’ll run *bitmath.getsize()* on the bitmath source code using the defaults for the *bestprefix* and *system* parameters:

```
>>> import bitmath
>>> print(bitmath.getsize('./bitmath/__init__.py'))
33.3583984375 KiB
```

Let’s say we want to see the results in bytes. We can do this by setting *bestprefix* to False:

```
>>> import bitmath
>>> print(bitmath.getsize('./bitmath/__init__.py', bestprefix=False))
34159.0 Byte
```

Recall, the default for representation is with the best human-readable prefix. We can control the prefix system used by setting *system* to either *bitmath.NIST* (the default) or *bitmath.SI*:

```
1 >>> print(bitmath.getsize('./bitmath/__init__.py'))
2 33.3583984375 KiB
3 >>> print(bitmath.getsize('./bitmath/__init__.py', system=bitmath.NIST))
4 33.3583984375 KiB
5 >>> print(bitmath.getsize('./bitmath/__init__.py', system=bitmath.SI))
6 34.159 kB
```

We can see in lines 1 → 4 that the same result is returned when *system* is not set and when *system* is set to *bitmath.NIST* (the default).

New in version 1.0.7.

bitmath.listdir()

bitmath.listdir (*search_base*[, *followlinks=False*[, *filter='*'*[, *relpath=False*[, *bestprefix=False*[, *system=NIST*]]]]])

This is a *generator* which recurses a directory tree yielding 2-tuples of:

- The absolute/relative path to a discovered file
- A bitmath instance representing the *apparent size* of the file

Parameters

- **search_base** (*string*) – The directory to begin walking down
- **followlinks** (*bool*) – **Default:** False, do not follow links. Whether or not to follow symbolic links to directories. Setting to True enables directory link following
- **filter** (*string*) – **Default:** * (everything). A glob to filter results with. See *fnmatch* for more details about *globs*

- **relpath** (*bool*) – **Default:** False, returns the fully qualified to each discovered file. True to return the relative path from the present working directory to the discovered file. If `relpath` is False, then `bitmath.listdir()` internally calls `os.path.realpath()` to normalize path references
- **bestprefix** (*bool*) – **Default:** False, returns `Byte` instances. Set to True to return the best human-readable prefix unit for representation
- **system** (One of `bitmath.NIST` or `bitmath.SI`) – **Default:** `bitmath.NIST`. Set a prefix preferred unit system. Requires `bestprefix` is True

Note:

- This function does **not** return tuples for directory entities. Including directories in results is [scheduled for introduction](#) in an upcoming release.
- Symlinks to **files** are followed automatically

When interpreting the results from this function it is *crucial* to understand exactly which items are being taken into account, what decisions were made to select those items, and how their sizes are measured.

Results from this function may seem invalid when directly compared to the results from common command line utilities, such as `du`, or `tree`.

Let’s pretend we have a directory structure like the following:

```
some_files/
├── deeper_files/
│   └── second_file
└── first_file
```

Where `some_files/` is a directory, and so is `some_files/deeper_files/`. There are two regular files in this tree:

- `somefiles/first_file` - 1337 Bytes
- `some_files/deeper_files/second_file` - 13370 Bytes

The **total** size of the files in this tree is **1337 + 13370 = 14707** bytes.

Let’s call `bitmath.listdir()` on the `some_files/` directory and see what the results look like. First we’ll use all the default parameters, then we’ll set `relpath` to True:

```
1 >>> import bitmath
2 >>> for f in bitmath.listdir('./some_files'):
3 ...     print(f)
4 ...
5 ('/tmp/tmp.P5lqtyqwPh/some_files/first_file', Byte(1337.0))
6 ('/tmp/tmp.P5lqtyqwPh/some_files/deeper_files/second_file', Byte(13370.0))
7 >>> for f in bitmath.listdir('./some_files', relpath=True):
8 ...     print(f)
9 ...
10 ('some_files/first_file', Byte(1337.0))
11 ('some_files/deeper_files/second_file', Byte(13370.0))
```

On lines **5** and **6** the results print the full path, whereas on lines **10** and **11** the path is relative to the present working directory.

Let’s play with the `filter` parameter now. Let’s say we only want to include results for files whose name begins with “second”:

```
>>> for f in bitmath.listdir('./some_files', filter='second*'):
...     print(f)
...
('/tmp/tmp.P5lqtyqwPh/some_files/deeper_files/second_file', Byte(13370.0))
```

If we wish to avoid having to write for-loops, we can collect the results into a list rather simply:

```
>>> files = list(bitmath.listdir('./some_files'))
>>> print(files)
(['/tmp/tmp.P5lqtyqwPh/some_files/first_file', Byte(1337.0)], ('/tmp/tmp.
↪P5lqtyqwPh/some_files/deeper_files/second_file', Byte(13370.0))]
```

Here's a more advanced example where we will sum the size of all the returned results and then play around with the possible formatting. Recall that a bitmath instance representing the size of the discovered file is the second item in each returned tuple.

```
>>> discovered_files = [f[1] for f in bitmath.listdir('./some_files')]
>>> print(discovered_files)
[Byte(1337.0), Byte(13370.0)]
>>> print(reduce(lambda x,y: x+y, discovered_files))
14707.0 Byte
>>> print(reduce(lambda x,y: x+y, discovered_files).best_prefix())
14.3623046875 KiB
>>> print(reduce(lambda x,y: x+y, discovered_files).best_prefix().format("{value:.
↪3f} {unit}"))
14.362 KiB
```

New in version 1.0.7.

bitmath.parse_string()

`bitmath.parse_string(str_repr)`

Parse a string representing a unit into a proper bitmath object. All non-string inputs are rejected and will raise a `ValueError`. Strings without units are also rejected. See the examples below for additional clarity.

Parameters `str_repr` (*string*) – The string to parse. May contain whitespace between the value and the unit.

Returns A bitmath object representing `str_repr`

Raises `ValueError` – if `str_repr` can not be parsed

A simple usage example:

```
>>> import bitmath
>>> a_dvd = bitmath.parse_string("4.7 GiB")
>>> print(type(a_dvd))
<class 'bitmath.GiB'>
>>> print(a_dvd)
4.7 GiB
```

Caution: Caution is advised if you are reading values from an unverified external source, such as output from a shell command or a generated file. Many applications (even `/usr/bin/ls`) still do not produce file size strings with valid (or even correct) prefix units unless specially configured to do so. See `bitmath.parse_string_unsafe()` as an alternative.

To protect your application from unexpected runtime errors it is recommended that calls to `bitmath.parse_string()` are wrapped in a `try` statement:

```
>>> import bitmath
>>> try:
...     a_dvd = bitmath.parse_string("4.7 G")
... except ValueError:
...     print("Error while parsing string into bitmath object")
...
Error while parsing string into bitmath object
```

Here we can see some more examples of invalid input, as well as two acceptable inputs:

```
>>> import bitmath
>>> sizes = [ 1337, 1337.7, "1337", "1337.7", "1337 B", "1337B" ]
>>> for size in sizes:
...     try:
...         print("Parsed size into %s" % bitmath.parse_string(size).best_
↳ prefix())
...     except ValueError:
...         print("Could not parse input: %s" % size)
...
Could not parse input: 1337
Could not parse input: 1337.7
Could not parse input: 1337
Could not parse input: 1337.7
Parsed size into 1.3056640625 KiB
Parsed size into 1.3056640625 KiB
```

Changed in version 1.2.4: Added support for parsing *octet* units via [issue #53 - parse french units](#). The usage of “octet” is still common in some RFCs, as well as France, French Canada and Romania. See also, a table of the octet units and their values on [Wikipedia](#).

Here are some simple examples of parsing *octet* based units:

```
1 >>> import bitmath
2 >>> a_mebibyte = bitmath.parse_string("1 MiB")
3 >>> a_mebiocet = bitmath.parse_string("1 Mio")
4 >>> print(a_mebibyte, a_mebiocet)
5 1.0 MiB 1.0 MiB
6 >>> print(bitmath.parse_string("1Po"))
7 1.0 PB
8 >>> print(bitmath.parse_string("1337 Eio"))
9 1337.0 EiB
```

Notice how on lines **4** and **5** that the variable `a_mebibyte` from the input `1 MiB` is exactly equivalent to `a_mebiocet` from the different input `1 Mio`. This is because after `bitmath` parses the octet units the results are normalized into their **standard** NIST/SI equivalents automatically.

Note: If your input isn't compatible with `bitmath.parse_string()` you can try using `bitmath.parse_string_unsafe()` instead. `bitmath.parse_string_unsafe()` is more forgiving with input. Please read the documentation carefully so you understand the risks you assume using the `unsafe` parser.

New in version 1.1.0.

bitmath.parse_string_unsafe()

`bitmath.parse_string_unsafe(repr[, system=bitmath.SI])`

Parse a string or number into a proper bitmath object. This is the less strict version of the `bitmath.parse_string()` function. While `bitmath.parse_string()` only accepts SI and NIST defined unit prefixes, `bitmath.parse_string_unsafe()` accepts *non-standard* units such as those often displayed in command-line output. Examples following the description.

Parameters

- **repr** – The value to parse. May contain whitespace between the value and the unit.
- **system** – `bitmath.parse_string_unsafe()` defaults to parsing units as SI (base-10) units. Set the `system` parameter to `bitmath.NIST` if you know your input is in NIST (base-2) format.

Returns A bitmath object representing `repr`

Raises `ValueError` – if `repr` can not be parsed

Use of this function comes with several caveats:

- All inputs are assumed to be byte-based (as opposed to bit based)
- Numerical inputs (those without any units) are assumed to be a number of bytes
- Inputs with single letter units (k, M, G, etc) are assumed to be SI units (base-10). See the `system` parameter description **above** to change this behavior
- Inputs with an `i` character following the leading letter (Ki, Mi, Gi) are assumed to be NIST units (base-2)
- Capitalization does not matter

What exactly are these *non-standard* units? Generally speaking non-standard units will not include enough information to be able to identify exactly which unit system is being used. This is caused by mis-capitalized characters (capital `k`'s for SI *kilo* units when they should be lower case), or omitted Byte or Bit suffixes. You can find examples of non-standard units in many common command line functions or parameters. For example:

- The `ls` command will print out single-letter units when given the `-h` option flag
- Running `qemu-img info virtualdisk.img` will also report with single letter units
- The `df` command also uses single-letter units
- [Kubernetes](#) will display items like *memory limits* using two letter NIST units (ex: `memory: 2370Mi`)

Given those considerations, understanding exactly what values you are feeding into this function is crucial to getting accurate results. You can control the output of some commands with various option flags. For example, you could ensure the GNU `ls` and `df` commands print with SI values by providing the `--si` option flag. By default those commands will print out using NIST (base-2) values.

In this example let's pretend we're parsing the output of running `df -H / /boot /home` on our filesystems. Assume the output is saved into a file called `/tmp/df-output.txt` and looks like this:

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/mapper/luks-ca8d5493-72bb-4691-afe1	107G	64G	38G	63%	/
/dev/sda1	500M	391M	78M	84%	/boot
/dev/mapper/vg_deepfryer-lv_home	129G	118G	4.7G	97%	/home

Now let's read this file, parse the `Used` column, and then print out the space used (line 7):

```

1 >>> with open('/tmp/df-output.txt', 'r') as fp:
2 ...     # Skip parsing the 'df' header column
3 ...     _ = fp.readline()
4 ...     for line in fp.readlines():
5 ...         cols = line.split()[0:4]
6 ...         print("""Filesystem: %s
7 ... - Used: %s""" % (cols[0], bitmath.parse_string_unsafe(cols[1]))
8 Filesystem: /dev/mapper/luks-ca8d5493-72bb-4691-afe1
9 - Used: 107.0 GB
10 Filesystem: /dev/sda1
11 - Used: 500.0 MB
12 Filesystem: /dev/mapper/vg_deepfryer-lv_home
13 - Used: 129.0 GB

```

If we had ran the `df` command with the `-h` option (instead of `-H`) we will get base-2 (NIST) output. That would look like this:

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/mapper/luks-ca8d5493-72bb-4691-afe1	100G	59G	36G	63%	/
/dev/sda1	477M	373M	75M	84%	/boot
/dev/mapper/vg_deepfryer-lv_home	120G	110G	4.4G	97%	/home

Because we switch from SI output to NIST output the values displayed are slightly different. **However** they still print using the same prefix unit, G. We can tell `bitmath.parse_string_unsafe()` that the input is NIST (base-2) by giving `bitmath.NIST` to the system parameter like this (line 8):

```

1 >>> with open('/tmp/df-output.txt', 'r') as fp:
2 ...     # Skip parsing the 'df' header column
3 ...     _ = fp.readline()
4 ...     for line in fp.readlines():
5 ...         cols = line.split()[0:4]
6 ...         print("""Filesystem: %s
7 ... - Used: %s""" % (cols[0],
8 ...                   bitmath.parse_string_unsafe(cols[1], \
9 ...                   system=bitmath.NIST)))
10 Filesystem: /dev/mapper/luks-ca8d5493-72bb-4691-afe1
11 - Used: 100.0 GiB
12 Filesystem: /dev/sda1
13 - Used: 477.0 MiB
14 Filesystem: /dev/mapper/vg_deepfryer-lv_home
15 - Used: 120.0 GiB

```

The results printed use the proper NIST prefix unit syntax now: Capital **G** followed by a lower-case **i** ending with a capital **B**, GiB.

New in version 1.3.1.

bitmath.query_device_capacity()

`bitmath.query_device_capacity(device_fd)`

Create `bitmath.Byte` instances representing the capacity of a block device.

Parameters `device_fd(file)` – An open file handle (`handle = open('/dev/sda')`) of the target device.

Returns A `bitmath.Byte` equal to the size of `device_fd`.

Raises

- **ValueError** – if file descriptor `device_fd` is not of a device type.
- **IOError** –
 - `IOError[13]` - If the effective **uid** of this process does not have access to issue raw commands to block devices. I.e., this process does not have super-user rights.
 - `IOError[2]` - If the device `device_fd` points to does not exist.

Important: Superuser (root/admin) privileges are required to allow `bitmath.query_device_capacity()` to make system calls to read a devices capacity. Use of this function on a device the user does not have access to will result in run-time errors.

Examples of supported devices include:

- Standard Hard Drives/External Drives
- Filesystem Partitions
- Loop Devices
- LVM Logical Volumes
- Encrypted LUKS Volumes
- iSCSI Devices

Here's an example using the `with` context manager to open a device and print its capacity with the best-human readable prefix (line 3):

```
1 >>> import bitmath
2 >>> with open("/dev/sda") as device:
3     size = bitmath.query_device_capacity(device).best_prefix()
4     print("Device %s capacity: %s (%s Bytes)" % (device.name, size, size_
5         ↪ bytes))
Device /dev/sda capacity: 238.474937439 GiB (2.56060514304e+11 Bytes)
```

Important: Platform Notice: `bitmath.query_device_capacity()` is only verified to work on **Linux** and **Mac OS X** platforms. To file a bug report, please follow the instructions in the [contributing section](#).

New in version 1.2.4.

2.1.2 Context Managers

This section describes all of the [context managers](#) provided by the `bitmath` class.

Warning: It is a known limitation that the `bitmath` context managers are **not thread-safe**. You may get unexpected results or errors using these in a threaded environment.

The suggested workaround is to apply formatting to each object instance directly. See the instance [format](#) method docs for additional reference.

Note: For a bit of background, a *context manager* (specifically, the `with` statement) is a feature of the Python language which is commonly used to:

- Decorate, or *wrap*, an arbitrary block of code. I.e., effect a certain condition onto a specific body of code
- Automatically *open* and *close* an object which is used in a specific context. I.e., handle set-up and tear-down of objects in the place they are used.

See also:

PEP 343 *The “with” Statement*

PEP 318 *Decorators for Functions and Methods*

bitmath.format()

`bitmath.format([fmt_str=None[, plural=False[, bestprefix=False]])`

The `bitmath.format()` context manager allows you to specify the string representation of all bitmath instances within a specific block of code.

This is effectively equivalent to applying the `format()` method to an entire region of code.

Parameters

- **fmt_str** (*str*) – a formatting mini-language compat formatting string. See the [instance attributes](#) for a list of available items.
- **plural** (*bool*) – True enables printing instances with trailing s’s if they’re plural. False (default) prints them as singular (no trailing ‘s’)
- **bestprefix** (*bool*) – True enables printing instances in their best human-readable representation. False, the default, prints instances using their current prefix unit.

Note: The `bestprefix` parameter is not yet implemented!

Let’s look at an example of toggling pluralization on and off. First we’ll look over a demonstration script (below), and then we’ll review the output.

```

1  import bitmath
2
3  a_single_bit = bitmath.Bit(1)
4  technically_plural_bytes = bitmath.Byte(0)
5  always_plural_kbs = bitmath.kb(42)
6
7  formatting_args = {
8      'not_plural': a_single_bit,
9      'technically_plural': technically_plural_bytes,
10     'always_plural': always_plural_kbs
11  }
12
13  print("""None of the following will be pluralized, because that feature is turned_
↪off
14  """)
15
16  test_string = """    One unit of 'Bit': {not_plural}
17
18     0 of a unit is typically said pluralized in US English: {technically_plural}
19
20     several items of a unit will always be pluralized in normal US English
21     speech: {always_plural}"""

```

(continues on next page)

(continued from previous page)

```

22
23 print(test_string.format(**formatting_args))
24
25 print("""
26 -----
27 """)
28
29 print("""Now, we'll use the bitmath.format() context manager
30 to print the same test string, but with pluralization enabled.
31 """)
32
33 with bitmath.format(plural=True):
34     print(test_string.format(**formatting_args))

```

The context manager is demonstrated in lines **33** → **34**. In these lines we use the `bitmath.format()` context manager, setting `plural` to `True`, to print the original string again. By doing this we have enabled pluralized string representations (where appropriate). Running this script would have the following output:

```

None of the following will be pluralized, because that feature is turned off

One unit of 'Bit': 1.0 Bit

0 of a unit is typically said pluralized in US English: 0.0 Byte

several items of a unit will always be pluralized in normal US English
speech: 42.0 kb

-----

Now, we'll use the bitmath.format() context manager
to print the same test string, but with pluralization enabled.

One unit of 'Bit': 1.0 Bit

0 of a unit is typically said pluralized in US English: 0.0 Bytes

several items of a unit will always be pluralized in normal US English
speech: 42.0 kbs

```

Here's a shorter example, where we'll:

- Print a string containing bitmath instances using the default formatting (lines **2** → **3**)
- Use the context manager to print the instances in scientific notation (lines **4** → **7**)
- Print the string one last time to demonstrate how the formatting automatically returns to the default format (lines **8** → **9**)

```

1 >>> import bitmath
2 >>> print("Some instances: %s, %s" % (bitmath.KiB(1 / 3.0), bitmath.Bit(512)))
3 Some instances: 0.3333333333333333 KiB, 512.0 Bit
4 >>> with bitmath.format("{value:e}-{unit}"):
5 ...     print("Some instances: %s, %s" % (bitmath.KiB(1 / 3.0), bitmath.Bit(512)))
6 ...
7 Some instances: 3.333333e-01-KiB, 5.120000e+02-Bit
8 >>> print("Some instances: %s, %s" % (bitmath.KiB(1 / 3.0), bitmath.Bit(512)))
9 Some instances: 0.3333333333333333 KiB, 512.0 Bit

```

New in version 1.0.8.

2.1.3 Module Variables

This section describes the module-level variables. Some of which are constants and are used for reference. Some of which effect output or behavior.

Changed in version 1.0.7: The formatting strings were not available for manipulate/inspection in earlier versions

New in version 1.1.1: Prior to this version `ALL_UNIT_TYPES` was not defined

Note: Modifying these variables will change the default representation indefinitely. Use the `bitmath.format()` context manager to limit changes to a specific block of code.

`bitmath.format_string`

This is the default string representation of all bitmath instances. The default value is `{value} {unit}` which, when evaluated, formats an instance as a floating point number with at least one digit of precision, followed by a character of whitespace, followed by the prefix unit of the instance.

For example, given bitmath instances representing the following values: **1337 MiB**, **0.1234567 kb**, and **0 B**, their printed output would look like the following:

```
>>> from bitmath import *
>>> print(MiB(1337), kb(0.1234567), Byte(0))
1337.0 MiB 0.1234567 kb 0.0 Byte
```

We can make these instances print however we want to. Let's wrap each one in square brackets (`[,]`), replace the separating space character with a hyphen (`-`), and limit the precision to just 2 digits:

```
>>> import bitmath
>>> bitmath.format_string = "[{value:.2f}-{unit}]"
>>> print(bitmath.MiB(1337), bitmath.kb(0.1234567), bitmath.Byte(0))
[1337.00-MiB] [0.12-kb] [0.00-Byte]
```

`bitmath.format_plural`

A boolean which controls the pluralization of instances in string representation. The default is `False`.

If we wanted to enable pluralization we could set the `format_plural` variable to `True`. First, let's look at some output using the default singular formatting.

```
>>> import bitmath
>>> print(bitmath.MiB(1337))
1337.0 MiB
```

And now we'll enable pluralization (line 2):

```
1 >>> import bitmath
2 >>> bitmath.format_plural = True
3 >>> print(bitmath.MiB(1337))
4 1337.0 MiBs
5 >>> bitmath.format_plural = False
6 >>> print(bitmath.MiB(1337))
7 1337.0 MiB
```

On line 5 we disable pluralization again and then see that the output has no trailing "s" character.

`bitmath.NIST`

Constant used as an argument to some functions to specify the **NIST** system.

`bitmath.SI`

Constant used as an argument to some functions to specify the **SI** system.

`bitmath.SI_PREFIXES`

An array of all of the SI unit prefixes (e.g., k, M, or E)

`bitmath.SI_STEPS`

```
SI_STEPS = {
    'Bit': 1 / 8.0,
    'Byte': 1,
    'k': 1000,
    'M': 1000000,
    'G': 1000000000,
    'T': 1000000000000,
    'P': 1000000000000000,
    'E': 1000000000000000000
}
```

`bitmath.NIST_PREFIXES`

An array of all of the NIST unit prefixes (e.g., Ki, Mi, or Ei)

`bitmath.NIST_STEPS`

```
NIST_STEPS = {
    'Bit': 1 / 8.0,
    'Byte': 1,
    'Ki': 1024,
    'Mi': 1048576,
    'Gi': 1073741824,
    'Ti': 1099511627776,
    'Pi': 1125899906842624,
    'Ei': 1152921504606846976
}
```

`bitmath.ALL_UNIT_TYPES`

An array of all combinations of known valid prefix units mixed with both bit and byte suffixes.

```
ALL_UNIT_TYPES = ['b', 'B', 'kb', 'kB', 'Mb', 'MB', 'Gb', 'GB',
    'Tb', 'TB', 'Pb', 'PB', 'Eb', 'EB', 'Kib', 'KiB', 'Mib',
    'MiB', 'Gib', 'GiB', 'Tib', 'TiB', 'Pib', 'PiB', 'Eib',
    'EiB']
```

2.1.4 3rd Party Module Integrations

This section describes the various ways in which *bitmath* can be integrated with other 3rd party modules.

To see a full demo of the `argparse` and `progressbar` integrations, as well as a comprehensive demonstrations of the full capabilities of the *bitmath* library, see *Creating Download Progress Bars* in the *Real Life Examples* section.

argparse

New in version 1.2.0.

The `argparse` module (part of `stdlib`) is used to parse command line arguments. By default, parsed options and arguments are turned into strings. However, one useful feature `argparse` provides is the ability to specify what datatype any given argument or option should be interpreted as.

`bitmath.integrations.BitmathType(bmstring)`

The `BitmathType()` factory creates objects that can be passed to the type argument of `ArgumentParser.add_argument()`. Arguments that have `BitmathType()` objects as their type will automatically parse the command line argument into a matching *bitmath object*.

Parameters `bmstring (str)` – The command-line option to parse into a bitmath object

Returns A bitmath object representing `bmstring`

Raises

- **ValueError** – on any input that `bitmath.parse_string()` already rejects
- **ValueError** – on **unquoted inputs** with whitespace separating the value from the unit (e.g., `--some-option 10 MiB` is bad, but `--some-option '10 MiB'` is good)

Let's take a look at a more in-depth example.

A feature found in many command-line utilities is the ability to specify some kind of file size using a string which roughly describes some kind of parameter. For example, let's look at the `du` (disk usage) command. Invoking it as `du -B` allows one to specify a desired block-size scaling factor in printed results.

Let's say we wanted to implement a similar mechanism in an application of our own. Except, instead of abbreviating down to ambiguous capital letters, we accept scaling factors as *properly written values* with associated units. Such as **10 MiB**, or **1 MB**.

To accomplish this, we'll use `argparse` to create an argument parser and add one option to it, `--block-size`. This option will have a type of `BitmathType()` set.

```

1  >>> import argparse, bitmath
2  >>> parser = argparse.ArgumentParser()
3  >>> parser.add_argument('--block-size', type=bitmath.BitmathType)
4  >>> args = "--block-size 1MiB"
5  >>> results = parser.parse_args(args.split())
6  >>> print(type(results.block_size))
7  <class 'bitmath.MiB'>

```

On line 3 we add the `--block-size` option to the parser, explicitly defining its type as `BitmathType()`. In lines 6 and 7 when we parse the provided arguments we find that `argparse` has automatically created a *bitmath object* for us.

If an invalid scaling factor is provided by the user, such as one which does not represent a recognizable unit, the *bitmath* library will automatically detect this for us and signal to the argument parser that an error has occurred.

2.2 The bitmath command-line Tool

bitmath includes a CLI utility for easily converting units in a shell. For reference, there is also a manpage included, `bitmath (1)`.

2.2.1 Synopsis

```
bitmath [--from-stdin] [-f IN_UNIT] [-t OUT_UNIT] VALUE ...
```

2.2.2 Options

-f <IN_UNIT>

Specify the input unit to convert from. Defaults to *bitmath.Byte*.

-t <OUT_UNIT>

Specify the output unit to convert to. Defaults to the *best human-readable* prefix unit.

--from-stdin

Reads number from stdin rather than as a CLI argument.

VALUE

The value to convert.

2.2.3 Examples

Convert 1024 into the best human-readable unit. Without specifying any `from` or `to` values this examples defaults to treating the input value as a *bitmath.Byte*:

```
$ bitmath 1024
1.0 KiB
```

Convert 1024 KiB into kB:

```
$ bitmath -f KiB -t kb 1024
8388.608 kb
```

Convert 1073741824 bytes into the best human-readable unit:

```
$ bitmath -f Byte 1073741824
1.0 GiB
```

Use the **stat** command to print the size of `bitmath/__init__.py` in bytes, pipe the output into the **bitmath** command, and print the result in MBs:

```
$ stat -c '%s' bitmath/__init__.py | bitmath --from-stdin -t MB
0.038374 MB
```

Convert several values at once from Bytes (the default behavior) into MBs:

```
$ bitmath -t MB 1234567 9876543 1337 42
1.234567 MB
9.876543 MB
0.001337 MB
4.2e-05 MB
```

2.3 Classes

- *Available Classes*
- *Initializing*
- *Class Methods*
 - *Class Method: from_other()*

2.3.1 Available Classes

There are two **fundamental** classes available, the *Bit* and the *Byte*.

There are **24** other classes available, representing all the prefix units from **k** through **e** (*kilo/kibi* through *exa/exbi*).

Classes with ‘**i**’ in their names are **NIST** type classes. They were defined by the [National Institute of Standards and Technology \(NIST\)](#) as the ‘Binary Prefix Units’. They are defined by increasing powers of 2.

Classes without the ‘**i**’ character are **SI** type classes. Though not formally defined by any standards organization, they follow the [International System of Units \(SI\)](#) pattern (commonly used to abbreviate base 10 values). You may hear these referred to as the “Decimal” or “SI” prefixes.

Classes ending with *lower-case* ‘**b**’ characters are **bit based**. Classes ending with upper-case ‘**B**’ characters are **byte based**. Class inheritance is shown below in parentheses to make this more apparent:

NIST	SI
Eib (Bit)	Eb (Bit)
EiB (Byte)	EB (Byte)
Gib (Bit)	Gb (Bit)
GiB (Byte)	GB (Byte)
Kib (Bit)	kb (Bit)
KiB (Byte)	kB (Byte)
Mib (Bit)	Mb (Bit)
MiB (Byte)	MB (Byte)
Pib (Bit)	Pb (Bit)
PiB (Byte)	PB (Byte)
Tib (Bit)	Tb (Bit)
TiB (Byte)	TB (Byte)

Note: As per SI definition, the kB and kb classes begins with a *lower-case* **k** character.

The majority of the functionality of bitmath object comes from their rich implementation of standard Python operations. You can use bitmath objects in **almost all** of the places you would normally use an integer or a float. See the [Table of Supported Operations](#) and [Appendix: Rules for Math](#) for more details.

2.3.2 Initializing

```
class bitmath.Bit ([value=0[, bytes=None[, bits=None ] ]])
class bitmath.Byte ([value=0[, bytes=None[, bits=None ] ]])
class bitmath.EB ([value=0[, bytes=None[, bits=None ] ]])
class bitmath.Eb ([value=0[, bytes=None[, bits=None ] ]])
```

```
class bitmath.EiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Eib([value=0[, bytes=None[, bits=None]]])
class bitmath.GB([value=0[, bytes=None[, bits=None]]])
class bitmath.Gb([value=0[, bytes=None[, bits=None]]])
class bitmath.GiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Gib([value=0[, bytes=None[, bits=None]]])
class bitmath.kB([value=0[, bytes=None[, bits=None]]])
class bitmath.kb([value=0[, bytes=None[, bits=None]]])
class bitmath.KiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Kib([value=0[, bytes=None[, bits=None]]])
class bitmath.MB([value=0[, bytes=None[, bits=None]]])
class bitmath.Mb([value=0[, bytes=None[, bits=None]]])
class bitmath.MiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Mib([value=0[, bytes=None[, bits=None]]])
class bitmath.PB([value=0[, bytes=None[, bits=None]]])
class bitmath.Pb([value=0[, bytes=None[, bits=None]]])
class bitmath.PiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Pib([value=0[, bytes=None[, bits=None]]])
class bitmath.TB([value=0[, bytes=None[, bits=None]]])
class bitmath.Tb([value=0[, bytes=None[, bits=None]]])
class bitmath.TiB([value=0[, bytes=None[, bits=None]]])
class bitmath.Tib([value=0[, bytes=None[, bits=None]]])
class bitmath.YB([value=0[, bytes=None[, bits=None]]])
class bitmath.Yb([value=0[, bytes=None[, bits=None]]])
class bitmath.ZB([value=0[, bytes=None[, bits=None]]])
class bitmath.Zb([value=0[, bytes=None[, bits=None]]])
class bitmath.Bitmath([value=0[, bytes=None[, bits=None]]])
```

The `value`, `bytes`, and `bits` parameters are **mutually exclusive**. That is to say, you cannot instantiate a `bitmath` class using more than **one** of the parameters. Omitting any keyword argument defaults to behaving as if `value` was provided.

Parameters

- **value** (*int*) – **Default: 0**. The value of the instance in *prefix units*. For example, if we were instantiating a `KiB` object to represent 13.37 KiB, the `value` parameter would be `13.37`. For instance, `k = bitmath.KiB(13.37)`.
- **bytes** (*int*) – The value of the instance as measured in bytes.
- **bits** (*int*) – The value of the instance as measured in bits.

Raises `ValueError` – if more than one parameter is provided.

The following code block demonstrates the 4 acceptable ways to instantiate a `bitmath` class.


```

1 >>> import bitmath
2
3 # Omitting all keyword arguments defaults to 'value' behavior.
4 >>> a = bitmath.KiB(1)
5
6 # This is equivalent to the previous statement
7 >>> b = bitmath.KiB(value=1)
8
9 # We can also specify the initial value in bytes.
10 # Recall, 1KiB = 1024 bytes
11 >>> c = bitmath.KiB(bytes=1024)
12
13 # Finally, we can specify exact number of bits in the
14 # instance. Recall, 1024B = 8192b
15 >>> d = bitmath.KiB(bits=8192)
16
17 >>> a == b == c == d
18 True

```

2.3.3 Class Methods

Class Method: `from_other()`

bitmath **class objects** have one public class method, `from_other()` which provides an alternative way to initialize a bitmath class.

This method may be called on bitmath class objects directly. That is to say: you do not need to call this method on an instance of a bitmath class, however that is a valid use case.

classmethod `Byte.from_other(item)`

Instantiate any `BitMathClass` using another instance as reference for it's initial value.

The `from_other()` class method has one required parameter: an instance of a bitmath class.

Parameters `item` (*BitMathInstance*) – An instance of a bitmath class.

Returns a bitmath instance of type `BitMathClass` equivalent in value to `item`

Return type `BitMathClass`

Raises **`TypeError`** – if `item` is not a valid *bitmath class*

In pure Python, this could also be written as:

```

1 >>> import bitmath
2
3 >>> a_mebibyte = bitmath.MiB(1)
4
5 >>> a_mebibyte_sized_kibibyte = bitmath.KiB(bytes=a_mebibyte.bytes)
6
7 >>> a_mebibyte == a_mebibyte_sized_kibibyte
8 True
9
10 >>> print(a_mebibyte, a_mebibyte_sized_kibibyte)
11 1.0 MiB 1024.0 KiB

```

Or, using the `from_other()` class method:

```
1 >>> a_mebibyte = bitmath.MiB(1)
2
3 >>> a_big_kibibyte = bitmath.KiB.from_other(a_mebibyte)
4
5 >>> a_mebibyte == a_big_kibibyte
6 True
7
8 >>> print(a_mebibyte, a_big_kibibyte)
9 1.0 MiB 1024.0 KiB
```

2.4 Instances

- *Instance Attributes*
- *Instance Methods*
 - *to_THING()*
 - *best_prefix()*
 - *format()*
 - * *Setting Decimal Precision*
 - * *Format All the Instance Attributes*
- *Instance Properties*
 - *THING Properties*
- *The Formatting Mini-Language*

2.4.1 Instance Attributes

bitmath objects have several instance attributes:

`BitMathInstance.base`

The mathematical base of the unit of the instance (this will be **2** or **10**)

```
>>> print(bitmath.Byte(1337).base)
2
>>> print(bitmath.kB(1337).base)
10
```

`BitMathInstance.binary`

The [Python binary representation](#) of the instance's value (in bits)

```
>>> b = bitmath.Byte(1337)
>>> print(b.binary)
0b10100111001000
```

`BitMathInstance.bin`

This is an alias for `binary`

BitMathInstance.bits

The number of bits in the object

```
>>> b = bitmath.Byte(1337)
>>> print(b.bits)
10696.0
```

BitMathInstance.bytes

The number of bytes in the object

```
>>> b = bitmath.Byte(1337)
>>> print(b.bytes)
1337
```

BitMathInstance.power

The mathematical power the base of the unit of the instance is raised to

```
>>> b = bitmath.Byte(1337)
>>> print(b.power)
0
```

BitMathInstance.system

The system of units used to measure this instance (NIST or SI)

```
>>> b = bitmath.Byte(1337)
>>> print(b.system)
NIST
```

BitMathInstance.value

The value of the instance in *prefix* units¹

```
>>> b = bitmath.Byte(1337)
>>> print(b.value)
1337.0
```

BitMathInstance.unit

The string representation of this prefix unit (such as MiB or kb)

```
>>> b = bitmath.Byte(1337)
>>> print(b.unit)
Byte
```

BitMathInstance.unit_plural

The pluralized string representation of this prefix unit.

```
>>> b = bitmath.Byte(1337)
>>> print(b.unit_plural)
Bytes
```

BitMathInstance.unit_singular

The singular string representation of this prefix unit (such as MiB or kb)

```
>>> b = bitmath.Byte(1337)
>>> print(b.unit_singular)
Byte
```

Notes:

1. Given an instance `k`, where `k = KiB(1.3)`, then `k.value` is **1.3**
-

The following is an example of how to access some of these attributes and what you can expect their printed representation to look like:

```
1 >>> dvd_capacity = GB(4.7)
2 >>> print("Capacity in bits: %s\nbytes: %s\n" % \
3         (dvd_capacity.bits, dvd_capacity.bytes))
4
5 Capacity in bits: 37600000000.0
6 bytes: 4700000000.0
7
8 >>> dvd_capacity.value
9 4.7
10
11 >>> dvd_capacity.bin
12 '0b100011000001001000100111100000000000'
13
14 >>> dvd_capacity.binary
15 '0b100011000001001000100111100000000000'
```

2.4.2 Instance Methods

bitmath objects come with a few basic methods: `to_THING()`, `format()`, and `best_prefix()`.

`to_THING()`

Like the *available classes*, there are 24 `to_THING()` methods available. `THING` is any of the bitmath classes. You can even `to_THING()` an instance into itself again:

```
1 >>> from bitmath import *
2 >>> one_mib = MiB(1)
3 >>> one_mib_in_kb = one_mib.to_kb()
4 >>> one_mib == one_mib_in_kb
5 True
6
7 >>> another_mib = one_mib.to_MiB()
8 >>> print(one_mib, one_mib_in_kb, another_mib)
9 1.0 MiB 8388.608 kb 1.0 MiB
10
11 >>> six_TB = TB(6)
12 >>> six_TB_in_bits = six_TB.to_Bit()
13 >>> print(six_TB, six_TB_in_bits)
14 6.0 TB 4.8e+13 Bit
15
16 >>> six_TB == six_TB_in_bits
17 True
```

`best_prefix()`

`best_prefix([system=None])`

Return an equivalent instance which uses the best human-readable prefix-unit to represent it.

Parameters `system(int)` – one of `bitmath.NIST` or `bitmath.SI`

Returns An equivalent `bitmath` instance

Return type `bitmath`

Raises `ValueError` – if an invalid unit system is given for `system`

The `best_prefix()` method returns the result of converting a `bitmath` instance into an equivalent instance using a prefix unit that better represents the original value. Another way to think of this is automatic discovery of the most sane, or *human readable*, unit to represent a given size. This functionality is especially important in the domain of interactive applications which need to report file sizes or transfer rates to users.

As an analog, consider you have 923,874,434¢ in your bank account. You probably wouldn't want to read your bank statement and find your balance in pennies. Most likely, your bank statement would read a balance of \$9,238,744.34. In this example, the input prefix is the *cent*: ¢. The *best prefix* for this is the *dollar*: \$.

Let's, for example, say we are reporting a transfer rate in an interactive application. It's important to present this information in an easily consumable format. The library we're using to calculate the rate of transfer reports the rate in bytes per second from a `tx_rate()` function.

We'll use this example twice. In the first occurrence, we will print out the transfer rate in a more easily digestible format than pure bytes/second. In the second occurrence we'll take it a step further, and use the `format` method to make the output even easier to read.

```
>>> for _rate in tx_rate():
...     print("Rate: %s/second" % Bit(_rate))
...     time.sleep(1)

Rate: 100.0 Bit/sec
Rate: 24000.0 Bit/sec
Rate: 1024.0 Bit/sec
Rate: 60151.0 Bit/sec
Rate: 33.0 Bit/sec
Rate: 9999.0 Bit/sec
Rate: 9238742.0 Bit/sec
Rate: 2.09895849555e+13 Bit/sec
Rate: 934098021.0 Bit/sec
Rate: 934894.0 Bit/sec
```

And now using a custom formatting definition:

```
>>> for _rate in tx_rate():
...     print(Bit(_rate).best_prefix().format("Rate: {value:.3f} {unit}/sec"))
...     time.sleep(1)

Rate: 12.500 Byte/sec
Rate: 2.930 KiB/sec
Rate: 128.000 Byte/sec
Rate: 7.343 KiB/sec
Rate: 4.125 Byte/sec
Rate: 1.221 KiB/sec
Rate: 1.101 MiB/sec
Rate: 2.386 TiB/sec
Rate: 111.353 MiB/sec
Rate: 114.123 KiB/sec
```

format()

`BitMathInstance.format(fmt_spec)`

Return a custom-formatted string to represent this instance.

Parameters `fmt_spec` (*str*) – A valid formatting mini-language string

Returns The custom formatted representation

Return type `string`

bitmath instances come with a verbose built-in string representation:

```
>>> leet_bits = Bit(1337)
>>> print(leet_bits)
1337.0 Bit
```

However, for instances which aren't whole numbers (as in `MiB(1/3.0) == 0.333333333333 MiB`, etc), their representation can be undesirable.

The `format()` method gives you complete control over the instance's representation. All of the *instances attributes* are available to use when choosing a representation.

The following sections describe some common use cases of the `format()` method as well as provide a *brief tutorial* of the greater Python formatting meta-language.

Setting Decimal Precision

By default, bitmath instances will print to a fairly long precision for values which are not whole multiples of their prefix unit. In most use cases, simply printing out the first 2 or 3 digits of precision is acceptable.

The following examples will show us how to print out a bitmath instance in a more human readable way, by limiting the decimal precision to 2 digits.

First, for reference, the default formatting:

```
>>> ugly_number = MB(50).to_MiB() / 8.0
>>> print(ugly_number)
5.96046447754 MiB
```

Now, let's use the `format()` method to limit that to two digits of precision:

```
>>> print(ugly_number.format("{value:.2f}{unit}"))
5.96 MiB
```

By changing the `2` character, you increase or decrease the precision. Set it to `0` (`{value:.0f}`) and you have what effectively looks like an integer.

Format All the Instance Attributes

The following example prints out every instance attribute. Take note of how an attribute may be referenced multiple times.

```
1 >>> longer_format = """Formatting attributes for %s
2 ...: This instances prefix unit is {unit}, which is a {system} type unit
3 ...: The unit value is {value}
4 ...: This value can be truncated to just 1 digit of precision: {value:.1f}
```

(continues on next page)

(continued from previous page)

```

5     ...: In binary this looks like: {binary}
6     ...: The prefix unit is derived from a base of {base}
7     ...: Which is raised to the power {power}
8     ...: There are {bytes} bytes in this instance
9     ...: The instance is {bits} bits large
10    ...: bytes/bits without trailing decimals: {bytes:.0f}/{bits:.0f}" "" % str(ugly_
    ↳number)
11
12    >>> print(ugly_number.format(longer_format))
13    Formatting attributes for 5.96046447754 MiB
14    This instances prefix unit is MiB, which is a NIST type unit
15    The unit value is 5.96046447754
16    This value can be truncated to just 1 digit of precision: 6.0
17    In binary this looks like: 0b10111110101111000010000000
18    The prefix unit is derived from a base of 2
19    Which is raised to the power 20
20    There are 6250000.0 bytes in this instance
21    The instance is 50000000.0 bits large
22    bytes/bits without trailing decimals: 6250000/50000000

```

Note: On line 4 we print with 1 digit of precision, on line 16 we see the value has been rounded to 6.0

2.4.3 Instance Properties

THING Properties

Like the *available classes*, there are 24 THING properties available. THING is any of the bitmath classes. Under the covers these properties call `to_THING`.

```

1    >>> from bitmath import *
2    >>> one_mib = MiB(1)
3    >>> one_mib == one_mib.kb
4    True
5
6    >>> print(one_mib, one_mib.kb, one_mib.MiB)
7    1.0 MiB 8388.608 kb 1.0 MiB
8
9    >>> six_TB = TB(6)
10   >>> print(six_TB, six_TB.Bit)
11   6.0 TB 4.8e+13 Bit
12
13   >>> six_TB == six_TB.Bit
14   True

```

2.4.4 The Formatting Mini-Language

That is all you begin printing numbers with custom precision. If you want to learn a little bit more about using the formatting mini-language, read on.

You may be asking yourself where these `{value:.2f}` and `{unit}` strings came from. These are part of the [Format Specification Mini-Language](#) which is part of the Python standard library. To be explicitly clear about what's going on here, let's break the first specifier (`{value:.2f}`) down into it's component parts:

```
{value:.2f}
|   |
|   ||| \----- The "f" says to format this as a floating point type
|   ||| \----- The 2 indicates we want 2 digits of precision (default is 6)
|   | \----- The '.' character must precede the precision specifier for floats
|   | \----- The : separates the attribute name from the formatting specification
|   | \----- The name of the attribute to print
```

The second specifier (`{unit}`) says to format the `unit` attribute as a string (string is the default type when no type is given).

See also:

Python String Format Cookbook [Marcus Kazmierczak's excellent](#) introduction to string formatting

2.5 Getting Started

In this section we will take a high-level look at the basic things you can do with bitmath. We'll include the following topics:

- *Tables of Supported Operations*
 - *Arithmetic*
 - *Bitwise Operations*
- *Basic Math*
- *Unit Conversion*
- *Rich Comparison*
- *Sorting*

2.5.1 Tables of Supported Operations

The following legend describes the two operands used in the tables below.

Operand	Description
bm	A bitmath object is required
num	An integer or decimal value is required

Arithmetic

Math works mostly like you expect it to, except for a few edge-cases:

- Mixing bitmath types with Number types (the result varies per-operation)
- Operations where two bitmath types would cancel out (such as dividing two bitmath types)
- Multiplying two bitmath instances together is supported, but the results may not make much sense.

See also:

Appendix: Rules for Math For a discussion of the behavior of bitmath and number types.

Operation	Parameters	Result Type	Example
Addition	bm1 + bm2	type(bm1)	KiB(1) + MiB(2) = 2049.0KiB
Addition	bm + num	type(num)	KiB(1) + 1 = 2.0
Addition	num + bm	type(num)	1 + KiB(1) = 2.0
Subtraction	bm1 - bm2	type(bm1)	KiB(1) - Byte(2048) = -1.0KiB
Subtraction	bm - num	type(num)	KiB(4) - 1 = 3.0
Subtraction	num - bm	type(num)	10 - KiB(1) = 9.0
Multiplication	bm1 * bm2	type(bm1)	KiB(1) * KiB(2) = 2048.0KiB
Multiplication	bm * num	type(bm)	KiB(2) * 3 = 6.0KiB
Multiplication	num * bm	type(bm)	2 * KiB(3) = 6.0KiB
Division	bm1 / bm2	type(num)	KiB(1) / KiB(2) = 0.5
Division	bm / num	type(bm)	KiB(1) / 3 = 0.3330078125KiB
Division	num / bm	type(num)	3 / KiB(2) = 1.5

Bitwise Operations

See also:

Bitwise Calculator A free online calculator for checking your math

Bitwise operations are also supported. Bitwise operations work directly on the `bits` attribute of a bitmath instance, not the number you see in an instances printed representation (`value`), to maintain accuracy.

Operation	Parameters	Result Type	Example ¹
Left Shift	bm << num	type(bm)	MiB(1) << 2 = MiB(4.0)
Right Shift	bm >> num	type(bm)	MiB(1) >> 2 = MiB(0.25)
AND	bm & num	type(bm)	MiB(13.37) & 1337 = MiB(0.000126...)
OR	bm num	type(bm)	MiB(13.37) 1337 = MiB(13.3700...)
XOR	bm ^ num	type(bm)	MiB(13.37) ^ 1337 = MiB(13.369...)

1. Give me a break here, it's not easy coming up with compelling examples for bitwise operations...

2.5.2 Basic Math

bitmath supports all arithmetic operations

```

1 >>> eighty_four_mib = forty_two_mib + forty_two_mib_in_kib
2 >>> eighty_four_mib
3 MiB(84.0)
4 >>> eighty_four_mib == forty_two_mib * 2
5 True

```

2.5.3 Unit Conversion

```

1 >>> from bitmath import *
2 >>> forty_two_mib = MiB(42)
3 >>> forty_two_mib_in_kib = forty_two_mib.to_KiB()
4 >>> forty_two_mib_in_kib
5 KiB(43008.0)
6

```

(continues on next page)

(continued from previous page)

```

7 >>> forty_two_mib
8 MiB(42.0)
9
10 >>> forty_two_mib.KiB
11 KiB(43008.0)

```

2.5.4 Rich Comparison

Rich Comparison (as per the [Python Basic Customization](#) magic methods) `<`, `<=`, `==`, `!=`, `>`, `>=` is fully supported:

```

1 >>> GB(1) < GiB(1)
2 True
3 >>> GB(1.073741824) == GiB(1)
4 True
5 >>> GB(1.073741824) <= GiB(1)
6 True
7 >>> Bit(1) == TiB(bits=1)
8 True
9 >>> kB(100) > EiB(bytes=1024)
10 True
11 >>> kB(100) >= EiB.from_other(kB(100))
12 True
13 >>> kB(100) >= EiB.from_other(kB(99))
14 True
15 >>> kB(100) >= EiB.from_other(kB(9999))
16 False
17 >>> KiB(100) != Byte(1)
18 True

```

2.5.5 Sorting

bitmath natively supports sorting.

Let's make a list of the size (in bytes) of all the files in the present working directory (lines **4** and **5**) and then print them out sorted by increasing magnitude (lines **10** and **11**, and **13** → **15**):

```

1 >>> from bitmath import *
2 >>> import os
3 >>> sizes = []
4 >>> for f in os.listdir('./tests/'):
5 ...     sizes.append(KiB(os.path.getsize('./tests/' + f)))
6
7 >>> print(sizes)
8 [KiB(7337.0), KiB(1441.0), KiB(2126.0), KiB(2178.0), KiB(2326.0), KiB(4003.0), KiB(48.
9 ↪0), KiB(1770.0), KiB(7892.0), KiB(4190.0)]
10
11 >>> print(sorted(sizes))
12 [KiB(48.0), KiB(1441.0), KiB(1770.0), KiB(2126.0), KiB(2178.0), KiB(2326.0), KiB(4003.
13 ↪0), KiB(4190.0), KiB(7337.0), KiB(7892.0)]
14
15 >>> human_sizes = [s.best_prefix() for s in sizes]
16 >>> print(sorted(human_sizes))
17 [KiB(48.0), MiB(1.4072265625), MiB(1.728515625), MiB(2.076171875), MiB(2.126953125),
18 ↪MiB(2.271484375), MiB(3.9091796875), MiB(4.091796875), MiB(7.1650390625), MiB(7.
19 ↪70703125)]

```

(continues on next page)

(continued from previous page)

Now print them out in descending magnitude

```
>>> print(sorted(human_sizes, reverse=True))
[KiB(7892.0), KiB(7337.0), KiB(4190.0), KiB(4003.0), KiB(2326.0), KiB(2178.0),
↳KiB(2126.0), KiB(1770.0), KiB(1441.0), KiB(48.0)]
```

2.6 Real Life Examples

- *Download Speeds*
- *Calculating how many files fit on a device*
- *Printing Human-Readable File Sizes in Python*
- *Calculating Linux BDP and TCP Window Scaling*
 - *The Hard Way*
 - *The bitmath way*
- *Creating Download Progress Bars*
- *Reading a Devices Storage Capacity*

2.6.1 Download Speeds

Let's pretend that your Internet service provider (ISP) advertises your maximum downstream as **50Mbps** (50 Megabits per second)¹ and you want to know how fast that is in Megabytes per second? bitmath can do that for you easily. We can calculate this as such:

```
1 >>> import bitmath
2 >>> downstream = bitmath.Mib(50)
3 >>> print(downstream.to_MB())
4 MB(6.25)
```

This tells us that if our ISP advertises **50Mbps** we can expect to see download rates of over **6MB/sec**.

1. Assuming your ISP follows the common industry practice of using SI (base-10) units to describe file sizes/rates

2.6.2 Calculating how many files fit on a device

In 2001 Apple® announced the iPod™. Their [headline statement](#) boasting:

“... iPod stores up to 1,000 CD-quality songs on its super-thin 5 GB hard drive, ...”

OK. That's pretty simple to work backwards: *capacity of disk drive* divided by *number of songs* equals the average size of a song. Which in this case is:

```
1 >>> song_size = GB(5) / 1000
2 >>> print(song_size)
3 0.005GB
```

Or, using `best_prefix`, (line **2**) to generate a more human-readable form:

```
1 >>> song_size = GB(5) / 1000
2 >>> print(song_size.best_prefix())
3 5.0MB
```

That's great, if you have normal radio-length songs. But how many of our favorite jam-band's 15-30+ minute-long songs could we fit on this iPod? Let's pretend we did the math and the average audio file worked out to be **18.6 MiB** (19.5 MB) large.

```
1 >>> ipod_capacity = GB(5)
2 >>> bootleg_size = MB(19.5)
3 >>> print(ipod_capacity / bootleg_size)
4 256.41025641
```

The result on line **4** tells us that we could fit **256** average-quality songs on our iPod.

2.6.3 Printing Human-Readable File Sizes in Python

In a Python script or interpreter we may wish to print out file sizes in something other than bytes (which is what `os.path.getsize` returns). We can use `bitmath` to do that too:

```
1 >>> import os
2 >>> from bitmath import *
3 >>> these_files = os.listdir('.')
4 >>> for f in these_files:
5 ...     f_size = Byte(os.path.getsize(f))
6 ...     print("%s - %s" % (f, f_size.to_KiB()))
7
8 test_basic_math.py - 3.048828125 KiB
9 __init__.py - 0.1181640625 KiB
10 test_representation.py - 0.744140625 KiB
11 test_to_Type_conversion.py - 2.2119140625 KiB
```

Alternatively, we could simplify things and use `bitmath.getsize()` to read the file size directly into a `bitmath` object:

```
1 >>> import os
2 >>> import bitmath
3 >>> these_files = os.listdir('.')
4 >>> for f in these_files:
5 ...     print("%s - %s" % (f, bitmath.getsize(f)))
6
7 test_basic_math.py - 3.048828125 KiB
8 __init__.py - 0.1181640625 KiB
9 test_representation.py - 0.744140625 KiB
10 test_to_Type_conversion.py - 2.2119140625 KiB
```

See also:

Instance Formatting How to print results in a *prettier* format

2.6.4 Calculating Linux BDP and TCP Window Scaling

Say we're doing some Linux Kernel TCP performance tuning. For optimum speeds we need to calculate our BDP, or Bandwidth Delay Product. For this we need to calculate certain values to set some kernel tuning parameters to. The

point of this tuning is to send the most data we can during a measured round-trip-time without sending more than can be processed. To accomplish this we are resizing our kernel read/write networking/socket buffers.

We will see two ways of doing this. The tedious manual way, and the way with bitmath.

The Hard Way

Core Networking Values

- `net.core.rmem_max` - **Bytes** - Single Value - Default receive buffer size
- `net.core.wmem_max` - **Bytes** - Single Value - Default write buffer size

System-Wide Memory Limits

- `net.ipv4.tcp_mem` - **Pages** - Three Value Vector - The `max` field of the parameter is the number of **memory pages** allowed for queueing by all TCP sockets.

Per-Socket Buffers

Per-socket buffer sizes must not exceed the core networking buffer sizes.

- `net.ipv4.tcp_rmem` - **Bytes** - Three Field Vector - The `max` field sets the size of the TCP receive buffer
- `net.ipv4.tcp_wmem` - **Bytes** - Three Field Vector - As above, but for the write buffer

We would normally calculate the optimal BDP and related values following this approach:

1. Measure the latency, or round trip time (RTT, measured in milliseconds), between the host we're tuning and our target remote host
2. Measure/identify our network transfer rate
3. Calculate the BDP (multiply transfer rate by rtt)
4. Obtain our current kernel settings
5. Adjust settings as necessary

But for the sake brevity we'll be working out of an example scenario with a pre-defined RTT and transfer rate.

Scenario

- We have an average network transfer rate of **1Gb/sec** (where Gb is the SI unit for Gigabits, not Gibibytes: GiB)
- Our latency (RTT) is **0.199ms** (milliseconds)

Calculate Manually

Lets calculate the BDP now. Because the kernel parameters expect values in units of bytes and pages we'll have to convert our transfer rate of 1Gb/sec into B/s (Gigabits/second to Bytes/second):

- Convert 1Gb into an equivalent **byte** based unit

Remember 1 Byte = 8 Bits:

```
tx_rate_GB = 1/8 = 0.125
```

Our equivalent transfer rate is 0.125GB/sec.

- Convert our RTT from milliseconds into seconds

Remember 1ms = 10^{-3} s:

```
window_seconds = 0.199 * 10^-3 = 0.000199
```

Our equivalent RTT window is 0.000199s

- Next we multiply the transfer rate by the length of our RTT window (in seconds)

(The unit analysis for this is GB/s * s leaving us with GB)

```
BDP = rx_rate_GB * window_seconds = 0.125 * 0.000199 = 0.000024875
```

Our BDP is 0.000024875GB.

- Convert 0.000024875GB to bytes:

Remember 1GB = 10⁹B

```
BDP_bytes = 0.000024875 * 10^9 = 24875.0
```

Our BDP is 24875 bytes (or about 24.3KiB)

The **bitmath** way

All of this math can be done much quicker (and with greater accuracy) using the *bitmath* library. Let's see how:

```
1 >>> from bitmath import GB
2
3 >>> tx = 1/8.0
4
5 >>> rtt = 0.199 * 10**-3
6
7 >>> bdp = (GB(tx * rtt)).to_Byte()
8
9 >>> print(bdp.to_KiB())
10
11 KiB(24.2919921875)
```

Note: To avoid integer rounding during division, don't forget to divide by 8.0 rather than 8

We could shorten that even further:

```
>>> print((GB((1/8.0) * (0.199 * 10**-3))).to_Byte())
24875.0Byte
```

Get the current kernel parameters

Important to note is that the **per-socket** buffer sizes must not exceed the **core network** buffer sizes. Lets fetch our current core buffer sizes:

```
$ sysctl net.core.rmem_max net.core.wmem_max
net.core.rmem_max = 212992
net.core.wmem_max = 212992
```

Recall, these values are in bytes. What are they in KiB?

```
>>> print(Byte(212992).to_KiB())
KiB(208.0)
```

This means our core networking buffer sizes are set to 208KiB each. Now let's check our current per-socket buffer sizes:

```
$ sysctl net.ipv4.tcp_rmem net.ipv4.tcp_wmem
net.ipv4.tcp_rmem = 4096      87380   6291456
net.ipv4.tcp_wmem = 4096      16384   4194304
```

Let's double-check that our buffer sizes aren't already out of wack (per-socket should be \leq networking core)

```
>>> net_core_max = KiB(bytes=212992)

>>> ipv4_tcp_rmem_max = KiB(bytes=6291456)

>>> ipv4_tcp_rmem_max > net_core_max

True
```

It appears that my buffers aren't sized appropriately. We'll fix that when we set the tunable parameters.

Finally, how large is the entire system TCP buffer?

```
$ sysctl net.ipv4.tcp_mem
net.ipv4.tcp_mem = 280632      374176   561264
```

Our max system TCP buffer size is set to **561264**. Recall that this parameter is measured in **memory pages**. Most of the time your page size is 4096 bytes, but you can check by running the command: `getconf PAGESIZE`. To convert the system TCP buffer size (561264) into a byte-based unit, we'll multiply it by our pagesize (4096):

```
>>> sys_pages = 561264

>>> page_size = 4096

>>> sys_buffer = Byte(sys_pages * page_size)

>>> print(sys_buffer.to_MiB())

2192.4375MiB

>>> print(sys_buffer.to_GiB())

2.14105224609GiB
```

The system max TCP buffer size is about 2.14GiB.

In review, we discovered the following:

- Our **core network** buffer size is insufficient (**212992**), we'll set it higher
- Our current **per-socket** buffer sizes are **6291456** and **4194304**

And we calculated the following:

- Our ideal **max** per-socket buffer size is **24875** bytes
- Our ideal **default** per-socket buffer size (half the **max**): **12437**

Finally: Set the new kernel parameters

Set the **core-network** buffer sizes:

```
$ sudo sysctl net.core.rmem_max=24875 net.core.wmem_max=24875
net.core.rmem_max = 4235
net.core.wmem_max = 4235
```

Set the **per-socket** buffer sizes:

```
$ sudo sysctl net.ipv4.tcp_rmem="4096 12437 24875" net.ipv4.tcp_wmem="4096 12437 24875"
↪
net.ipv4.tcp_rmem = 4096 12437 24875
net.ipv4.tcp_wmem = 4096 12437 24875
```

And it's done! Testing this is left as an exercise for the reader. Note that in my experience this is less useful on wireless connections.

2.6.5 Creating Download Progress Bars

```
#!/usr/bin/env python
from __future__ import print_function
import logging
import time
import bitmath
from bitmath.integrations.bmargparse import BitmathType
from bitmath.integrations.bmprogressbar import BitmathFileTransferSpeed
import argparse
import requests
import progressbar
import os
import tempfile
import atexit
import random
from functools import reduce

# Files of various sizes to use in the demo.
#
# Moar here: https://www.kernel.org/pub/linux/kernel/v3.0/?C=S;O=D
REMOTES = [
    # patch-3.0.70.gz          20-Mar-2013 20:02  1.0M
    'https://www.kernel.org/pub/linux/kernel/v3.0/patch-3.4.92.xz',

    # patch-3.16.gz           03-Aug-2014 22:39  8.0M
    'https://www.kernel.org/pub/linux/kernel/v3.0/patch-3.16.gz',

    # patch-3.2.gz            05-Jan-2012 00:43   22M
    'https://www.kernel.org/pub/linux/kernel/v3.0/patch-3.2.gz',
]

#####
p = argparse.ArgumentParser(description='bitmath demo suite')
p.add_argument('-d', '--down', help="Download Rate",
               type=BitmathType,
               default=bitmath.MiB(4))

p.add_argument('-s', '--slowdown',
               help='Randomly pause to slow down the transfer rate',
               action='store_true', default=False)

args = p.parse_args()

#####
# Save our example files somewhere. And then clean up every trace that
```

(continues on next page)

(continued from previous page)

```

# anything every happened there. shhhhhhhhhhhhhhhhh
DESTDIR = tempfile.mkdtemp('demosuite', 'bitmath')
@atexit.register
def cleanup():
    for f in os.listdir(DESTDIR):
        os.remove(os.path.join(DESTDIR, f))
    os.rmdir(DESTDIR)

#####
for f in REMOTES:
    print("""
#####""")
    fname = os.path.basename(f)
    # An array of widgets to design our progress bar. Note how we use
    # BitmathFileTransferSpeed
    widgets = ['Bitmath Demo Suite (%s): ' % fname,
               progressbar.Percentage(), ' ',
               progressbar.Bar(marker=progressbar.RotatingMarker()), ' ',
               progressbar.ETA(), ' ',
               BitmathFileTransferSpeed()]

    # The 'stream' keyword lets us http GET files in
    # chunks. http://docs.python-requests.org/en/latest/user/quickstart/#raw-response-
    ↪content
    r = requests.get(f, stream=True)
    # We haven't began receiving the payload content yet, we have only
    # just received the response headers. Of interest is the
    # 'content-length' header which describes our payload in bytes
    #
    # http://bitmath.readthedocs.org/en/latest/classes.html#bitmath.Byte
    size = bitmath.Byte(int(r.headers['Content-Length']))

    # Demonstrate 'with' context handler, allowing us to customize all
    # bitmath string printing within the indented block. We don't need
    # all that precision anyway, just two points should do.
    #
    # http://bitmath.readthedocs.org/en/latest/module.html#bitmath-format
    with bitmath.format("{value:.2f} {unit}"):
        print("Downloading %s (%s) in %s chunks" % (f,
                                                    size.best_prefix(),
                                                    args.down.best_prefix()))

    # We have to save these files somewhere
    save_path = os.path.join(DESTDIR, fname)
    print("Saving to: %s" % save_path)
    print("")

    # OK. Let's create our actual progress bar now. See the 'maxval'
    # keyword? That's the size of our payload in bytes.
    pbar = progressbar.ProgressBar(
        widgets=widgets,
        maxval=int(size)).start()

    #####
    # Open a new file for binary writing and write 'args.down' size
    # chunks into it until we've received the entire payload
    with open(save_path, 'wb') as fd:

```

(continues on next page)

(continued from previous page)

```

# The 'iter_content' method accepts integer values of
# bytes. Lucky for us, 'args.down' is a bitmath instance and
# has a 'bytes' attribute we can feed into the method call.
for chunk in r.iter_content(int(args.down.bytes)):
    fd.write(chunk)
    # The progressbar will end the entire cosmos as we know it
    # if we try to .update() it beyond it's MAXVAL
    # parameter.
    #
    # That's something I'd like to avoid taking the
    # responsibility for.
    if (pbar.currval + args.down.bytes) < pbar.maxval:
        pbar.update(pbar.currval + int(args.down.bytes))

# We can add an pause to artificially speed up/slowdown
# the transfer rate. Allows us to see different units.
if args slowdown:
    # randomly slow down 1/5 of the time
    if random.randrange(0, 100) % 5 == 0:
        time.sleep(random.randrange(0, 500) * 0.01)

# Nothing to see here. Go home.
pbar.finish()

#####
print("""
#####
List downloaded contents
* Filter for .xz files only
""")

for p,bm in bitmath.listdir(DESTDIR,
                           filter='*.xz'):
    print(p, bm)

#####
print("""
#####
List downloaded contents
* Filter for .gz files only
* Print using best human readable prefix
""")

for p,bm in bitmath.listdir(DESTDIR,
                           filter='*.gz',
                           bestprefix=True):
    print(p, bm)

#####
print("""
#####
List downloaded contents
* No filter set, to display all files
* Limit precision of printed file size to 3 digits
* Print using best human readable prefix
""")

```

(continues on next page)

(continued from previous page)

```

for p,bm in bitmath.listdir(DESTDIR,
                           bestprefix=True):
    with bitmath.format("{value:.3f} {unit}"):
        print(p, bm)

#####
print("""
#####
Sum the size of all downloaded files together
* Print with best prefix and 3 digits of precision
""")

discovered_files = [f[1] for f in bitmath.listdir(DESTDIR)]
total_size = reduce(lambda x,y: x+y, discovered_files).best_prefix().format("{value:.
↪3f} {unit}")
print("Total size of %s downloaded items: %s" % (len(discovered_files), total_size))

```

- View the the source for the [demo suite](#) on GitHub

2.6.6 Reading a Devices Storage Capacity

Important: Superuser (root/admin) privileges are required to allow `bitmath.query_device_capacity()` to make system calls to read a devices capacity. Use of this function on a device the user does not have access to will result in run-time errors.

Using `bitmath.query_device_capacity()` we can read the size of a storage device or a partition on a device.

Examples of supported devices include:

- Standard Hard Drives/External Drives
- Filesystem Partitions
- Loop Devices
- LVM Logical Volumes
- Encrypted LUKS Volumes
- iSCSI Devices

Usage is fairly straight-forward. Create an open file handle of the device you want to read the capacity of and then create a bitmath object with the `query_device_capacity` function. Here's an example where we read the capacity of device `sda`, the first device on the example system.

```

>>> with open('/dev/sda', 'r') as fh:
...     sda_capacity = bitmath.query_device_capacity(fh)
>>> print(sda_capacity.best_prefix())
238.474937439 GiB

```

2.7 Contributing to bitmath

This section describes the guidelines for contributing to bitmath.

- *Code of Conduct*
- *Issue Reporting*
- *Code Style/Formatting*
- *Commit Messages*
- *Pull Requests*
 - *What Happens If The Build Breaks*
- *Automated Tests*
 - *Components*
 - *Targets*
 - *Running the Tests*
 - *Troubleshooting*

2.7.1 Code of Conduct

All persons submitting code or otherwise interacting with the bitmath project on GitHub must accept and abide by the terms of the [Code of Conduct](#).

2.7.2 Issue Reporting

If you are encounter an issue with the bitmath library, please use the provided template.

- [Open a new issue](#)
- [View open issues](#)

2.7.3 Code Style/Formatting

Please conform to [PEP 0008](#) for code formatting. This specification outlines the style that is required for patches.

Your code must follow this (or note why it can't) before patches will be accepted. There is one consistent exception to this rule:

E501 Line too long

The `pycodestyle` tests for bitmath include a `--ignore` option to automatically exclude **E501** errors from the tests.

2.7.4 Commit Messages

Please write [intelligent commit messages](#).

For example:

Capitalized, short (50 chars or less) summary

More detailed explanatory text, **if** necessary. Wrap it to about 72 characters **or** so. In some contexts, the first line **is** treated **as** the subject of an email **and** the rest of the text **as** the body. The blank line separating the summary **from the** body **is** critical (unless you omit the body entirely); tools like rebase can get confused **if** you run the two together.

Write your commit message **in** the imperative: "Fix bug" **and not** "Fixed bug" **or** "Fixes bug." This convention matches up **with** commit messages generated by commands like git merge **and** git revert.

Further paragraphs come after blank lines.

- Bullet points are okay, too
- Typically a hyphen **or** asterisk **is** used **for** the bullet, followed by a single space, **with** blank lines **in** between, but conventions vary here
- Use a hanging indent

2.7.5 Pull Requests

After a **pull request** is submitted on GitHub two automatic processes are started:

1. **Travis-CI** clones the new pull request and runs the *automated test suite*.
2. **Coveralls** clones the new pull request and determines if the request would increase or decrease the overall code test coverage.

Please check back shortly after submitting a pull request to verify that the Travis-CI process passes.

What Happens If The Build Breaks

Pull requests which break the build will be looked at closely and you may be asked to fix the tests.

The bitmath project **welcomes all contributors** so **it's OK** if you're unable to fix the tests yourself. Just leave a comment in the pull request explaining so if that is the case.

Likewise, if Coveralls indicates the pull request would decrease the overall test-coverage, and you aren't able to fix it yourself, just leave a comment in the pull request.

2.7.6 Automated Tests

Write **unittests** for any new functionality, *if you are up to the task*. This is not a requirement, but it does get you a lot of karma.

All bitmath code includes unit tests to verify expected functionality. In the rest of this section we'll learn how the unit tests are put together and how to interact with them.

Components

bitmath unit tests are integrated with/depend on the following items:

- [GitHub Actions](#) - GitHub Actions provideFree online *continuous integration* functionality for projects. Tests are ran automatically on every git commit. In the past we used Travis for this functionality.
- [unittest](#) - Python unit testing framework. All bitmath tests are written using this framework.
- [PyTest](#) - Per the [pytest](#) website: “*The pytest framework makes it easy to write small, readable tests, and can scale to support complex functional testing for applications and libraries*”. **pytest** is used to run our unit tests.
- [pycodestyle](#) - A tool to check Python code against some of the style conventions in [PEP 0008](#).
- [pyflakes](#) - A simple program which checks Python source files for errors.
- [virtualenv](#) - A tool to create isolated Python environments. Allows us to install additional package dependencies without requiring access to the system site-packages directory.
- [Makefiles](#) - Utility scripts used for project building and testing. How bitmath uses **Makefiles** is described later in this section.

Targets

In the scope of this document, we use the term *target* in the context of *makefile targets*. For the purpose of this documentation, we can think of these *targets* as pre-defined commands coded in a makefile. bitmath testing targets include:

- `ci` - Run all of the tests
- `ci-pycodestyle` - Run [PEP 0008](#) syntax checks
- `ci-pyflakes` - Run *pyflakes* error checks
- `ci-unittests` - Run the tests in a virtual env
- `clean` - Remove temporary files and build artifacts from the checked-out repository.
- `uniquetestnames` - Ensures no unit tests have the same name.

To ensure the highest degree of confidence in test results you should **always use** the `ci` target, or make a pull request on GitHub and let it run the tests on all of the supported platforms.

Running the Tests

The bitmath test suite is invoked via the Makefile. The following is an example of how to run the `ci` test target manually:

```
1  [~/Projects/bitmath] 17:22:21 (master)
2  $ make ci
3  #####
4  # Running Unique TestCase checker
5  #####
6  ./tests/test_unique_testcase_names.sh
7  #####
8  # Creating a virtualenv
9  #####
10 virtualenv bitmathenv
11 New python executable in bitmathenv/bin/python
12 Installing setuptools, pip...done.
13 . bitmathenv/bin/activate && pip install -r requirements.txt
14 Downloading/unpacking python-coveralls (from -r requirements.txt (line 1))
15   Downloading python_coveralls-2.4.3-py2.py3-none-any.whl
16 Downloading/unpacking nose (from -r requirements.txt (line 2))
```

(continues on next page)

(continued from previous page)

```

17
18 ... snip ...
19
20 Convert a bitmath GiB into a Tb ... ok
21 Convert a bitmath PiB into a TiB ... ok
22 Convert a bitmath GiB into a Tib ... ok
23 Convert to kb ... ok
24 Convert a bitmath Bit into a MiB ... ok
25 bitmath type converted to the same unit is properly converted ... ok
26 float(bitmath) returns a float ... ok
27 int(bitmath) returns an int ... ok
28 long(bitmath) returns a long ... ok
29
30 Name      Stmts   Miss  Cover   Missing
31 -----
32 bitmath    440      1    99%    1152
33 -----
34 Ran 163 tests in 0.035s
35
36 OK
37 :
```

On line 2 we see how to call a makefile target. In this case it's quite straightforward: `make ci`. Other targets are called in the same way. For example, to run the `clean` target, you run the command `make clean`. To run the Python 3.x test suite, you would run the command `make ci3`.

Troubleshooting

If you find yourself unable to run the unit tests:

1. [Search](#) for relevant error messages
2. **Read** the error message closely. The solution could be hidden in the error message output. The problem could be as simple as a missing dependency
3. If you are unable to figure out all the necessary dependencies to run the tests, file an issue on that specific projects GitHub issue tracker. Include the full error message.

2.8 Appendices

- *Rules for Math*
 - *Terminology*
 - *Two bitmath operands*
 - *Mixed Types: Addition and Subtraction*
 - *Mixed Types: Multiplication and Division*
 - *Footnotes*
- *On Units*
- *Who uses Bitmath*

- *Related Projects*
 - *Magnitude*
 - *hurry.filesize*
 - *SymPy - Units*

2.8.1 Rules for Math

This section describes what we need to know to effectively use bitmath for arithmetic. Because bitmath allows the use of instances as operands on either side of the operator it is especially important to understand their behavior. Just as in normal every-day math, not all operations yield the same result if the operands are switched. E.g., $1 - 2 = -1$ whereas $2 - 1 = 1$.

This section includes discussions of the results for each supported **mixed math** operation. For mixed math operations (i.e., an operation with a bitmath instance and a number type), implicit coercion **may** happen. That is to say, a bitmath instance will be converted to a number type.

When coercion happens is determined by the following conditions and rules:

1. [Precedence and Associativity of Operators in Python](#)¹
2. Situational semantics – some operations, though mathematically valid, do not make logical sense when applied to context.

Terminology

The definitions describes some of the terminology used throughout this section.

Coercion The act of converting operands into a common type to support arithmetic operations. Somewhat similar to how adding two fractions requires coercing each operand into having a common denominator.

Specific to the bitmath domain, this concept means using an instance's prefix value for mixed-math.

Operand The object(s) of a mathematical operation. That is to say, given $1 + 2$, the operands would be **1** and **2**.

Operator The mathematical operation to evaluate. Given $1 + 2$, the operation would be addition, **+**.

LHS *Left-hand side*. In discussion this specifically refers to the operand on the left-hand side of the operator.

RHS *Right-hand side*. In discussion this specifically refers to the operand on the right-hand side of the operator.

Two bitmath operands

This section describes what happens when two bitmath instances are used as operands. There are three possible results from this type of operation.

Addition and subtraction The result will be of the type of the LHS.

Multiplication Supported, but yields strange results.

```
1 In [10]: first = MiB(5)
2
3 In [11]: second = kB(2)
4
```

(continues on next page)

¹ For a less technical review of precedence and associativity, see [Programiz: Precedence and Associativity of Operators in Python](#)

(continued from previous page)

```

5 In [12]: first * second
6 Out[12]: MiB(10000.0)
7
8 In [13]: (first * second).best_prefix()
9 Out[13]: GiB(9.765625)

```

As we can see on lines **6** and **9**, multiplying even two relatively small quantities together (MiB (5) and kB (2)) yields quite large results.

Internally, this is implemented as:

$$(5 \cdot 2^{20}) \cdot (2 \cdot 10^3) = 10,485,760,000B$$

$$10,485,760,000B \cdot \frac{1MiB}{1,048,576B} = 10,000MiB$$

Division The result will be a number type due to unit cancellation.

Mixed Types: Addition and Subtraction

This describes the behavior of addition and subtraction operations where one operand is a bitmath type and the other is a number type.

Mixed-math addition and subtraction **always** return a type from the `numbers` family (integer, float, long, etc...). This rule is true regardless of the placement of the operands, with respect to the operator.

Discussion: Why do `100 - KiB(90)` and `KiB(100) - 90` both yield a result of `10.0` and not another bitmath instance, such as `KiB(10.0)`?

When implementing the math part of the object datamodel customizations² there were two choices available:

1. Offer no support at all. Instead raise a `NotImplemented` exception.
2. Consistently apply coercion to the bitmath operand to produce a useful result (*useful* if you know the rules of the library).

In the end it became a philosophical decision guided by scientific precedence.

Put simply, bitmath uses the significance of the **least significant operand**, specifically the number-type operand because it lacks semantic significance. In application this means that we drop the semantic significance of the bitmath operand. That is to say, given an input like `GiB(13.37)` (equivalent to `== 13.37 * 230`), the only property used in calculations is the prefix value, `13.37`.

Numbers carry mathematical significance, in the form of precision, but what they lack is *semantic* (contextual) significance. A number by itself is just a measurement of an arbitrary quantity of *stuff*. In mixed-type math, bitmath effectively treats numbers as mathematical constants.

A bitmath instance also has mathematical significance in that an instance is a measurement of a quantity (bits in this case) and that quantity has a measurable precision. But a bitmath instance is more than just a measurement, it is a specialized representation of a count of bits. This gives bitmath instances *semantic* significance as well.

And so, in deciding how to handle mixed-type (really what we should say is mixed-significance) operations, we chose to model the behavior off of an already established set of rules. Those rules are the Rules of Significance Arithmetic³.

Let's look at an example of this in action:

² Python Datamodel Customization Methods

³ https://en.wikipedia.org/wiki/Significance_arithmetic

```
In [8]: num = 42

In [9]: bm = PiB(24)

In [10]: print(num + bm)
66.0
```

Equivalently, divorcing the bitmath instance from it's value (this is coercion):

```
In [12]: bm_value = bm.value

In [13]: print(num + bm_value)
66.0
```

What it all boils down to is this: if we don't provide a unit then bitmath won't give us one back. There is no way for bitmath to guess what unit the operand was *intended* to carry. Therefore, the behavior of bitmath is **conservative**. It will meet us half way and do the math, but it will not return a unit in the result.

Mixed Types: Multiplication and Division

Multiplication has *commutative* properties. This means that the ordering of the operands is **not significant**. Because of this fact bitmath allows arbitrary placement of the operands, treating the numeric operand as a constant. Here's an example demonstrating this.

```
In [2]: 10 * KiB(43)
Out[2]: KiB(430.0)

In [3]: KiB(43) * 10
Out[3]: KiB(430.0)
```

Division, however, *does not* have this commutative property. I.e., the placement of the operands **is** significant. Additionally, there is a semantic difference in division. Dividing a quantity (e.g. `MiB(100)`) by a constant (10) makes complete sense. Conceptually (in the domain of bitmath), the intention of `MiB(100) / 10` is to separate `MiB(10)` into **10** equal sized parts.

```
In [4]: KiB(43) / 10
Out[4]: KiB(4.2998046875)
```

The reverse operation does not maintain semantic validity. Stated differently, it does not make logical sense to divide a constant by a measured quantity of *stuff*. If you're still not clear on this, ask yourself what you would expect to get if you did this:

$$\frac{100}{kB(33)} = x$$

Footnotes

2.8.2 On Units

As previously stated, in this module you will find two very similar sets of classes available. These are the **NIST** and **SI** prefixes. The **NIST** prefixes are all base 2 and have an 'i' character in the middle. The **SI** prefixes are base 10 and have no 'i' character.

For smaller values, these two systems of unit prefixes are roughly equivalent. The `round()` operations below demonstrate how close in a percent one "unit" of SI is to one "unit" of NIST.

```

1 In [15]: one_kilo = 1 * 10**3
2
3 In [16]: one_kibi = 1 * 2**10
4
5 In [17]: round(one_kilo / float(one_kibi), 2)
6
7 Out[17]: 0.98
8
9 In [18]: one_tera = 1 * 10**12
10
11 In [19]: one_tebi = 1 * 2**40
12
13 In [20]: round(one_tera / float(one_tebi), 2)
14
15 Out[20]: 0.91
16
17 In [21]: one_exa = 1 * 10**18
18
19 In [22]: one_exbi = 1 * 2**60
20
21 In [23]: round(one_exa / float(one_exbi), 2)
22
23 Out[23]: 0.87

```

They begin as roughly equivalent, however as you can see (lines: **7**, **15**, and **23**), they diverge significantly for higher values.

Why two unit systems? Why take the time to point this difference out? Why should you care? The [Linux Documentation Project](#) comments on that:

Before these binary prefixes were introduced, it was fairly common to use k=1000 and K=1024, just like b=bit, B=byte. Unfortunately, the M is capital already, and cannot be capitalized to indicate binary-ness.

At first that didn't matter too much, since memory modules and disks came in sizes that were powers of two, so everyone knew that in such contexts "kilobyte" and "megabyte" meant 1024 and 1048576 bytes, respectively. What originally was a sloppy use of the prefixes "kilo" and "mega" started to become regarded as the "real true meaning" when computers were involved. But then disk technology changed, and disk sizes became arbitrary numbers. After a period of uncertainty all disk manufacturers settled on the standard, namely k=1000, M=1000k, G=1000M.

The situation was messy: in the 14k4 modems, k=1000; in the 1.44MB diskettes, M=1024000; etc. In 1998 the IEC approved the standard that defines the binary prefixes given above, enabling people to be precise and unambiguous.

Thus, today, MB = 1000000B and MiB = 1048576B.

In the free software world programs are slowly being changed to conform. When the Linux kernel boots and says:

```
hda: 120064896 sectors (61473 MB) w/2048KiB Cache
```

the MB are megabytes and the KiB are kibibytes.

- Source: `man 7 units` - <http://man7.org/linux/man-pages/man7/units.7.html>

Furthermore, to quote the [National Institute of Standards and Technology \(NIST\)](#):

"Once upon a time, computer professionals noticed that 2^{10} was very nearly equal to 1000 and started using the SI prefix "kilo" to mean 1024. That worked well enough for a decade or two because everybody who talked kilobytes knew that the term implied 1024 bytes. But, almost overnight a much more numerous

“everybody” bought computers, and the trade computer professionals needed to talk to physicists and engineers and even to ordinary people, most of whom know that a kilometer is 1000 meters and a kilogram is 1000 grams.

“Then data storage for gigabytes, and even terabytes, became practical, and the storage devices were not constructed on binary trees, which meant that, for many practical purposes, binary arithmetic was less convenient than decimal arithmetic. The result is that today “everybody” does not “know” what a megabyte is. When discussing computer memory, most manufacturers use megabyte to mean $2^{20} = 1\,048\,576$ bytes, but the manufacturers of computer storage devices usually use the term to mean 1 000 000 bytes. Some designers of local area networks have used megabit per second to mean 1 048 576 bit/s, but all telecommunications engineers use it to mean 106 bit/s. And if two definitions of the megabyte are not enough, a third megabyte of 1 024 000 bytes is the megabyte used to format the familiar 90 mm (3 1/2 inch), “1.44 MB” diskette. The confusion is real, as is the potential for incompatibility in standards and in implemented systems.

“Faced with this reality, the IEEE Standards Board decided that IEEE standards will use the conventional, internationally adopted, definitions of the SI prefixes. Mega will mean 1 000 000, except that the base-two definition may be used (if such usage is explicitly pointed out on a case-by-case basis) until such time that prefixes for binary multiples are adopted by an appropriate standards body.”

2.8.3 Who uses Bitmath

Shout-outs to all of the bitmath adopters out there I was able to identify:

- [ClusterHQ’s “Flocker”](#). A data volume manager for Dockerized applications
- VMware’s [vsphere flocker](#) storage driver
- EMC’s [scaleio](#) flocker storage driver
- Dell Storage’s [storage center block device](#) flocker driver
- [TravelCRM](#) - Free CRM for travel companies - [Bitbucket](#)
- [direscrawl](#) by [Brian Mikolajczyk](#) for recovering lost files
- [sizer](#) by [Calle Liljeholm](#). Calculating useable capacity in a flocker cluster

2.8.4 Related Projects

Bitmath is not the first project to tackle a challenge of this nature, handling units in a sane OOP approach. Several other Python libraries exist which provide similar functionality to bitmath. It only seems fair that we should point out these other libraries in case bitmath isn’t the best fit for you.

Magnitude

Magnitude implements efficient computation with physical quantities. It allows you to do mathematical operations with them as if they were numbers, taking care of the units behind the scenes.

Magnitude, from Juan Reyero, is a very extensible library for working with a large variety of units (e.g., mile = one mile), as well as derived units (e.g., mile/hour). Scaling, such as indicating one **mega** byte (1 MB) is also programmable with Magnitude. Juan is also kind enough to include a similar “[related projects](#)” section in his documentation.

- [Magnitude GitHub Project](#)
- [Magnitude Docs](#)

hurry.filesize

hurry.filesize is a simple Python library that can take a number of bytes and returns a human-readable string with the size in it, in kilobytes (K), megabytes (M), etc.

hurry.filesize is very limited in functionality when compared to the other alternatives. However, it is an extremely simple and lightweight module. If you're looking for a library just for turning counts of bytes into human-readable strings, then **hurry.filesize** will be great for you.

If you need any more functionality, such as greater control over *output formatting*, or *arithmetic calculations*, then you will find **hurry.filesize** lacking. This project has not updated since 2009, so I would not expect to see updates any time soon.

- [PyPi Homepage & Download](#)

SymPy - Units

This module provides around 200 predefined units that are commonly used in the sciences. Additionally, it provides the "Unit" class which allows you to define your own units.

The **Units** module from the **SymPy** library is another option. Like **Magnitude**, the Units library is very extensible and includes around 200 built-in units by default. While technically it supports handling quantities such as `1337 PiB`, this support must be configured by the user.

In contrast, the **bitmath** module includes classes representing the full spectrum of byte and bit based units, out of the box. No conversion or derivation code required of the user.

- [Units Homepage & Docs](#)
- Download available through `pip`, or your distribution's package system

2.9 NEWS

- *bitmath-2.0.0*
- *bitmath-1.3.3-1*
- *bitmath-1.3.1-1*
- *bitmath-1.3.0-1*
- *bitmath-1.2.4-1*
- *bitmath-1.2.3-1*
- *bitmath-1.2.0-1*
- *bitmath-1.1.0-1*
- *bitmath-1.0.5-1 through 1.0.8-1*
- *bitmath-1.0.4-1*

2.9.1 bitmath-2.0.0

bitmath-2.0.0 **will be** the first new release since 1.3.3 was released in 2018!

Beginning with the release of 2.0.0 bitmath will only officially support supported python versions. It is considered a happy bonus if bitmath works with an unsupported Python version.

The focus of the first “bitmath 2” releases will be simplification. Some things will go again, they may come back a little later.

What to Expect

In the semantic versioning world, a major version number increase is meant to express fundamental changes to the software. Changes which will **almost certainly** result in breakages for at least some of the user base. For bitmath this will be true as well, and in this case that user base is specifically anyone still using the library on Python 2.x.

- The Bitmath API - The fundamental API will remain unchanged. What will change are Python language features used and dropping of workarounds for older Python versions
- Bitmath *Integrations* - Integrations will be removed from the primary source code for now. Many of these can be provided as code examples instead which will simplify packaging and testing requirements for the project. They’ll be in the docs or just in git, not sure yet.
- Packaging - It looks like a lot has changed in the last 2.5 years in the Python packaging world, and I have a lot to catch up on. I guess we use TOML instead of setup.py now, that’s neat.
- Distribution - I daily drive Fedora Linux and Mac OS X, I don’t have time to keep up with other platforms. If someone wants to bring back debian packaging, contact me and we’ll work something out.

2.9.2 bitmath-1.3.3-1

bitmath-1.3.3-1 was published on 2018-08-23.

Project

Version 1.3.3 is a minor update primarily released to synchronize versions across platforms. Additionally there are small packaging updates to keep up with changing standards.

Minor bug fixes and documentation tweaks are included as well.

The project now has an official [Code of Conduct](#), as well as issue and pull request templates.

What happened to bitmath 1.3.2? It only ever existed as an idea in source control.

Changes

Bug Fixes

[Alexander Kapshuna](#) has submitted [several fixes](#) since the last release. Thanks!

- Packaging requirements fixes
- Python 3 compatibility
- Subclassing and Type checking fixes/improvements

[Marcus Kazmierczak](#) submitted a [fix](#) for some broken documentation links.

And [Dawid Gosławski](#) make sure our [documentation](#) is accurate.

Thanks to all the bitmath contributors over the years!

2.9.3 bitmath-1.3.1-1

bitmath-1.3.1-1 was published on 2016-07-17.

Changes

Added Functionality

- New function: `bitmath.parse_string_unsafe()`, a less strict version of `bitmath.parse_string()`. Accepts inputs using *non-standard* prefix units (such as single-letter, or mis-capitalized units).
- Inspired by @darkblaze69's request in #60 "Problems in parse_string".

Project

Ubuntu

- Bitmath is now available for installation via Ubuntu Xenial, Wily, Vivid, Trusty, and Precise PPAs.
- Ubuntu builds inspired by @hkraal reporting an [installation issue](#) on Ubuntu systems.

Documentation

- [Cleaned up a lot](#) of broken or re-directing links using output from the Sphinx `make linkcheck` command.

2.9.4 bitmath-1.3.0-1

bitmath-1.3.0-1 was published on 2016-01-08.

Changes

Bug Fixes

- Closed [GitHub Issue #55](#) "best_prefix for negative values". Now `bitmath.best_prefix()` returns correct prefix units for negative values. Thanks mbdm!

2.9.5 bitmath-1.2.4-1

bitmath-1.2.4-1 was published on 2015-11-30.

Changes

Added Functionality

- New bitmath module function: `bitmath.query_device_capacity()`. Create `bitmath.Byte` instances representing the capacity of a block device. Support is presently limited to Linux and Mac.
- The `bitmath.parse_string()` function now can parse 'octet' based units. Enhancement requested in [#53 parse french unit names](#) by walidsa3d.

Bug Fixes

- [#49](#) - Fix handling unicode input in the `bitmath.parse_string` function. Thanks drewbrew!
- [#50](#) - Update the `setup.py` script to be python3.x compat. Thanks ssut!

Documentation

- The project documentation is now installed along with the bitmath library in RPM packages.

Project

Fedora/EPEL

Look for separate python3.x and python2.x packages coming soon to [Fedora](#) and [EPEL](#). This is happening because of the [initiative](#) to update the base Python implementation on Fedora to Python 3.x

- [BZ1282560](#)

2.9.6 bitmath-1.2.3-1

bitmath-1.2.3-1 was published on 2015-01-03.

Changes

Added Functionality

- New utility: progressbar integration: [bitmath.integrations.BitmathFileTransferSpeed](#). A more functional file transfer speed widget.

Documentation

- The command-line bitmath tool now has [online documentation](#)
- A full demo of the `argparse` and `progressbar` integrations has been written. Additionally, it includes a comprehensive demonstration of the full capabilities of the bitmath library. View it in the *Real Life Demos* [Creating Download Progress Bars](#) example.

Project

Tests

- Travis-CI had some issues with installing dependencies for the 3.x build unittests. These were fixed and the build status has returned back to normal.

2.9.7 bitmath-1.2.0-1

bitmath-1.2.0-1 was published on 2014-12-29.

Changes

Added Functionality

- New utility: `argparse` integration: [bitmath.BitmathType](#). Allows you to specify arguments as bitmath types.

Documentation

- The command-line `bitmath` tool now has a [proper manpage](#)

Project

Tests

- The command-line `bitmath` tool is now properly untested. Code coverage back to ~100%.

2.9.8 bitmath-1.1.0-1

bitmath-1.1.0-1 was published on 2014-12-20.

- [GitHub Milestone Tracker](#) for 1.1.0

Changes

Added Functionality

- New `bitmath` [command-line tool](#) added. Provides CLI access to basic unit conversion functions
- New utility function `bitmath.parse_string` for parsing a human-readable string into a bitmath object. [Patch submitted](#) by new contributor [tonycpsu](#).

2.9.9 bitmath-1.0.5-1 through 1.0.8-1

bitmath-1.0.8-1 was published on 2014-08-14.

- [GitHub Milestone Tracker](#) for 1.0.8

Major Updates

- bitmath has a proper documentation website up now on Read the Docs, check it out: bitmath.readthedocs.io
- bitmath is now Python 3.x compatible
- bitmath is now included in the [Extra Packages for Enterprise Linux](#) EPEL6 and EPEL7 repositories ([pkg info](#))
- merged 6 [pull requests](#) from 3 contributors

Bug Fixes

- fixed some math implementation bugs
 - [commutative multiplication](#)
 - [true division](#)

Changes

Added Functionality

- `best-prefix` guessing: automatic best human-readable unit selection
- support for `bitwise operations`
- `formatting customization` methods (including plural/singular selection)
- exposed many more `instance attributes` (all instance attributes are usable in custom formatting)
- a `context manager` for applying formatting to an entire block of code
- utility functions for sizing `files` and `directories`
- add `instance properties` equivalent to `instance.to_THING()` methods

Project

Tests

- Test suite is now implemented using `Python virtualenv`'s for consistency across across platforms
- Test suite now contains 150 unit tests. This is **110** more tests than the previous major release (`1.0.4-1`)
- Test suite now runs on EPEL6 and EPEL7
- `Code coverage` is stable around 95-100%

2.9.10 bitmath-1.0.4-1

This is the first release of **bitmath**. `bitmath-1.0.4-1` was published on 2014-03-20.

Project

Available via:

- `PyPi`
- Fedora 19
- Fedora 20

bitmath had been under development for 12 days when the 1.0.4-1 release was made available.

Debut Functionality

- Converting between **SI** and **NIST** prefix units (`GiB` to `kB`)
- Converting between units of the same type (SI to SI, or NIST to NIST)
- Basic arithmetic operations (subtracting `42KiB` from `50GiB`)
- Rich comparison operations (`1024 Bytes == 1KiB`)
- Sorting
- Useful *console* and *print* representations

2.10 Contact

Hi, I'm Tim Bielawa, the bitmath maintainer. Would you like to get in touch? Maybe you want to peek at other stuff I'm working on? Go right ahead:

Blog I maintain a blog which mostly covers technical problems I encounter that I think are interesting and how I solved them. Lots of rich commentary and details included!

- [Technitribe](#)

Open Source Almost every project I work on, code or not, ends up on GitHub eventually. You can see what else I've been busy with on my profile.

- [GitHub: tbielawa](#)

Bugs/Issues/Requests All contributions related directly to the bitmath project, i.e. bug reports or feature requests, should be posted to the project issue tracker on GitHub. Please see the Contributing section for more information.

- [Contributing](#)

E-Mail If you want to contact me directly, [clone the project](#) and look at any of [my bitmath commits](#) to find my email address.

2.11 Copyright

The MIT License (MIT)

Copyright © 2014-2016 Tim Bielawa <tmbielawa@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

2.12 Examples

2.12.1 Arithmetic

```
>>> import bitmath
>>> log_size = bitmath.kB(137.4)
>>> log_zipped_size = bitmath.Byte(987)
>>> print("Compression saved %s space" % (log_size - log_zipped_size))
Compression saved 136.413kB space
```

(continues on next page)

(continued from previous page)

```
>>> thumb_drive = bitmath.GiB(12)
>>> song_size = bitmath.MiB(5)
>>> songs_per_drive = thumb_drive / song_size
>>> print(songs_per_drive)
2457.6
```

2.12.2 Convert Units

File size unit conversion:

```
>>> from bitmath import *
>>> dvd_size = GiB(4.7)
>>> print("DVD Size in MiB: %s" % dvd_size.to_MiB())
DVD Size in MiB: 4812.8 MiB
```

2.12.3 Select a human-readable unit

```
>>> small_number = kB(100)
>>> ugly_number = small_number.to_TiB()

>>> print(ugly_number)
9.09494701773e-08 TiB
>>> print(ugly_number.best_prefix())
97.65625 KiB
```

2.12.4 Rich Comparison

```
>>> cd_size = MiB(700)
>>> cd_size > dvd_size
False
>>> cd_size < dvd_size
True
>>> MiB(1) == KiB(1024)
True
>>> MiB(1) <= KiB(1024)
True
```

2.12.5 Sorting

```
>>> sizes = [KiB(7337.0), KiB(1441.0), KiB(2126.0), KiB(2178.0),
             KiB(2326.0), KiB(4003.0), KiB(48.0), KiB(1770.0),
             KiB(7892.0), KiB(4190.0)]

>>> print(sorted(sizes))
[KiB(48.0), KiB(1441.0), KiB(1770.0), KiB(2126.0), KiB(2178.0),
KiB(2326.0), KiB(4003.0), KiB(4190.0), KiB(7337.0), KiB(7892.0)]
```

2.12.6 Custom Formatting

- Use of the custom formatting system
- All of the available instance properties

Example:

```
>>> longer_format = """Formatting attributes for %s
...: This instances prefix unit is {unit}, which is a {system} type unit
...: The unit value is {value}
...: This value can be truncated to just 1 digit of precision: {value:.1f}
...: In binary this looks like: {binary}
...: The prefix unit is derived from a base of {base}
...: Which is raised to the power {power}
...: There are {bytes} bytes in this instance
...: The instance is {bits} bits large
...: bytes/bits without trailing decimals: {bytes:.0f}/{bits:.0f}""" % str(ugly_
↪number)

>>> print(ugly_number.format(longer_format))
Formatting attributes for 5.96046447754 MiB
This instances prefix unit is MiB, which is a NIST type unit
The unit value is 5.96046447754
This value can be truncated to just 1 digit of precision: 6.0
In binary this looks like: 0b10111110101111000010000000
The prefix unit is derived from a base of 2
Which is raised to the power 20
There are 6250000.0 bytes in this instance
The instance is 50000000.0 bits large
bytes/bits without trailing decimals: 6250000/50000000
```

2.12.7 Utility Functions

bitmath.getsize()

```
>>> print(bitmath.getsize('python-bitmath.spec'))
3.7060546875 KiB
```

bitmath.parse_string()

Parse a string with standard units:

```
>>> import bitmath
>>> a_dvd = bitmath.parse_string("4.7 GiB")
>>> print(type(a_dvd))
<class 'bitmath.GiB'>
>>> print(a_dvd)
4.7 GiB
```

bitmath.parse_string_unsafe()

Parse a string with ambiguous units:

```
>>> import bitmath
>>> a_gig = bitmath.parse_string_unsafe("1gb")
>>> print(type(a_gig))
```

(continues on next page)

(continued from previous page)

```
<class 'bitmath.GB'>
>>> a_gig == bitmath.GB(1)
True
>>> bitmath.parse_string_unsafe('1gb') == bitmath.parse_string_unsafe('1g')
True
```

bitmath.query_device_capacity()

```
>>> import bitmath
>>> with open('/dev/sda') as fp:
...     root_disk = bitmath.query_device_capacity(fp)
...     print(root_disk.best_prefix())
...
238.474937439 GiB
```

bitmath.listdir()

```
>>> for i in bitmath.listdir('./tests/', followlinks=True, relpath=True,
↳bestprefix=True):
...     print(i)
...
('tests/test_file_size.py', KiB(9.2900390625))
('tests/test_basic_math.py', KiB(7.1767578125))
('tests/__init__.py', KiB(1.974609375))
('tests/test_bitwise_operations.py', KiB(2.6376953125))
('tests/test_context_manager.py', KiB(3.7744140625))
('tests/test_representation.py', KiB(5.2568359375))
('tests/test_properties.py', KiB(2.03125))
('tests/test_instantiating.py', KiB(3.4580078125))
('tests/test_future_math.py', KiB(2.2001953125))
('tests/test_best_prefix_BASE.py', KiB(2.1044921875))
('tests/test_rich_comparison.py', KiB(3.9423828125))
('tests/test_best_prefix_NIST.py', KiB(5.431640625))
('tests/test_unique_testcase_names.sh', Byte(311.0))
('tests/.coverage', KiB(3.1708984375))
('tests/test_best_prefix_SI.py', KiB(5.34375))
('tests/test_to_built_in_conversion.py', KiB(1.798828125))
('tests/test_to_Type_conversion.py', KiB(8.0185546875))
('tests/test_sorting.py', KiB(4.2197265625))
('tests/listdir_symlinks/10_byte_file_link', Byte(10.0))
('tests/listdir_symlinks/depth1/depth2/10_byte_file', Byte(10.0))
('tests/listdir_nosymlinks/depth1/depth2/10_byte_file', Byte(10.0))
('tests/listdir_nosymlinks/depth1/depth2/1024_byte_file', KiB(1.0))
('tests/file_sizes/kbytes.test', KiB(1.0))
('tests/file_sizes/bytes.test', Byte(38.0))
('tests/listdir/10_byte_file', Byte(10.0))
```

2.12.8 Formatting

```
>>> with bitmath.format(fmt_str="[{value:.3f}@{unit}]"):
...     for i in bitmath.listdir('./tests/', followlinks=True, relpath=True,
↳bestprefix=True):
...         print(i[1])
...
```

(continues on next page)

(continued from previous page)

```
[9.290@KiB]
[7.177@KiB]
[1.975@KiB]
[2.638@KiB]
[3.774@KiB]
[5.257@KiB]
[2.031@KiB]
[3.458@KiB]
[2.200@KiB]
[2.104@KiB]
[3.942@KiB]
[5.432@KiB]
[311.000@Byte]
[3.171@KiB]
[5.344@KiB]
[1.799@KiB]
[8.019@KiB]
[4.220@KiB]
[10.000@Byte]
[10.000@Byte]
[10.000@Byte]
[1.000@KiB]
[1.000@KiB]
[38.000@Byte]
[10.000@Byte]
```

2.12.9 argparse Integration

Example script using `bitmath.integrations.bmargparse.BitmathType` as an `argparser` argument type:

```
import argparse
from bitmath.integrations.bmargparse import BitmathType

parser = argparse.ArgumentParser(
    description="Arg parser with a bitmath type argument")
parser.add_argument('--block-size',
                    type=BitmathType,
                    required=True)

results = parser.parse_args()
print("Parsed in: {PARSED}; Which looks like {TOKIB} as a Kibibit".format(
    PARSED=results.block_size,
    TOKIB=results.block_size.Kib))
```

If ran as a script the results would be similar to this:

```
$ python ./bmargparse.py --block-size 100MiB
Parsed in: 100.0 MiB; Which looks like 819200.0 Kib as a Kibibit
```


b

`bitmath`, [5](#)

`bitmath.integrations`, [16](#)

Symbols

-from-stdin
 bitmath command line option, 18
 -f <IN_UNIT>
 bitmath command line option, 18
 -t <OUT_UNIT>
 bitmath command line option, 18

A

ALL_UNIT_TYPES (in module bitmath), 16

B

base (*BitMathInstance* attribute), 22
 best_prefix(), 24
 bin (*BitMathInstance* attribute), 22
 binary (*BitMathInstance* attribute), 22
 Bit (class in bitmath), 19
 Bitmath (class in bitmath), 20
 bitmath (module), 5
 bitmath command line option
 -from-stdin, 18
 -f <IN_UNIT>, 18
 -t <OUT_UNIT>, 18
 bitmath.integrations (module), 16
 BitmathType() (in module bitmath.integrations), 17
 bits (*BitMathInstance* attribute), 22
 Byte (class in bitmath), 19
 bytes (*BitMathInstance* attribute), 23

E

EB (class in bitmath), 19
 Eb (class in bitmath), 19
 EiB (class in bitmath), 19
 Eib (class in bitmath), 20

F

format() (*BitMathInstance* method), 26
 format() (in module bitmath), 13
 format_plural (in module bitmath), 15

format_string (in module bitmath), 15
 from_other() (*bitmath.Byte* class method), 21

G

GB (class in bitmath), 20
 Gb (class in bitmath), 20
 getsize() (in module bitmath), 5
 GiB (class in bitmath), 20
 Gib (class in bitmath), 20

K

kB (class in bitmath), 20
 kb (class in bitmath), 20
 KiB (class in bitmath), 20
 Kib (class in bitmath), 20

L

listdir() (in module bitmath), 6

M

MB (class in bitmath), 20
 Mb (class in bitmath), 20
 MiB (class in bitmath), 20
 Mib (class in bitmath), 20

N

NIST (in module bitmath), 15
 NIST_PREFIXES (in module bitmath), 16
 NIST_STEPS (in module bitmath), 16

P

parse_string() (in module bitmath), 8
 parse_string_unsafe() (in module bitmath), 10
 PB (class in bitmath), 20
 Pb (class in bitmath), 20
 PiB (class in bitmath), 20
 Pib (class in bitmath), 20
 power (*BitMathInstance* attribute), 23
 Python Enhancement Proposals

PEP 318, [13](#)

PEP 343, [13](#)

Python Enhancement Proposals

PEP 0008, [40](#), [42](#)

Q

`query_device_capacity()` (*in module bitmath*),
[11](#)

S

`SI` (*in module bitmath*), [16](#)

`SI_PREFIXES` (*in module bitmath*), [16](#)

`SI_STEPS` (*in module bitmath*), [16](#)

`system` (*BitMathInstance attribute*), [23](#)

T

`TB` (*class in bitmath*), [20](#)

`Tb` (*class in bitmath*), [20](#)

`TiB` (*class in bitmath*), [20](#)

`Tib` (*class in bitmath*), [20](#)

U

`unit` (*BitMathInstance attribute*), [23](#)

`unit_plural` (*BitMathInstance attribute*), [23](#)

`unit_singular` (*BitMathInstance attribute*), [23](#)

V

`value` (*BitMathInstance attribute*), [23](#)

Y

`YB` (*class in bitmath*), [20](#)

`Yb` (*class in bitmath*), [20](#)

Z

`ZB` (*class in bitmath*), [20](#)

`Zb` (*class in bitmath*), [20](#)